

## AQA (GCSE Notes)

### Chapter 2: Bonding, Structure, and the Properties of Matter

#### Q1. Describe the type of particles involved in ionic bonding.

**Answer:** Ionic bonding involves oppositely charged ions. These ions are formed when metal atoms lose electrons to become positively charged cations and non-metal atoms gain electrons to become negatively charged anions. The strong electrostatic attraction between these oppositely charged ions holds them together in a lattice structure.

#### Q2. Explain why metals form positive ions when they react.

**Answer:** Metals form positive ions because they have only one, two, or three electrons in their outer shells. During a reaction, they lose these outer electrons to achieve the stable electronic configuration of a noble gas. This loss of electrons results in a net positive charge, forming a cation.

#### Q3. Explain how a chlorine atom becomes a chloride ion.

**Answer:** A chlorine atom has seven electrons in its outer shell. It needs one more electron to achieve a full outer shell. When it gains one electron during a chemical reaction, it becomes a negatively charged chloride ion ( $\text{Cl}^-$ ), having the same electron configuration as the noble gas argon.

#### Q4. Why do non-metals gain electrons in ionic bonding?

**Answer:** Non-metals have more electrons in their outer shells and need only a few more to complete their outer shell. They gain electrons to achieve a full outer shell and become stable like noble gases. Gaining electrons makes them negatively charged ions, or anions.

#### Q5. Describe what happens to the electrons when sodium reacts with chlorine.

**Answer:** When sodium reacts with chlorine, sodium loses one electron from its outer shell and becomes a  $\text{Na}^+$  ion. Chlorine gains that electron to complete its outer shell and becomes a  $\text{Cl}^-$  ion. The resulting oppositely charged ions attract each other and form an ionic bond.

#### Q6. Why are ionic bonds described as strong electrostatic forces?

**Answer:** Ionic bonds are the result of strong electrostatic forces of attraction between positively charged metal ions and negatively charged non-metal ions. These forces are strong because the charges are opposite and act in all directions between ions in the solid lattice, making the bond very hard to break.

#### Q7. What is the electronic structure of a magnesium ion?

**Answer:** A magnesium atom has the electronic structure 2,8,2. When it forms a  $\text{Mg}^{2+}$  ion, it loses its two outer electrons, resulting in a full second shell. The electronic structure of the  $\text{Mg}^{2+}$  ion is 2,8, the same as the noble gas neon.

#### Q8. What is the electronic structure of an oxide ion?

**Answer:** An oxygen atom has the electronic structure 2,6. When it gains two electrons to form an

oxide ion ( $O^{2-}$ ), it has eight electrons in its outer shell. The electronic structure of an oxide ion is 2,8, the same as the noble gas neon.

**Q9. How does the group number of an element help predict its ion charge?**

**Answer:** The group number of an element indicates how many electrons are in its outer shell. For metals in Group 1 and 2, the ion charge is equal to the group number (e.g.,  $Na^+$  for Group 1,  $Mg^{2+}$  for Group 2). For non-metals in Groups 6 and 7, the charge is negative and equal to 8 minus the group number (e.g.,  $O^{2-}$  for Group 6,  $Cl^-$  for Group 7).

**Q10. Draw a dot and cross diagram to show the bonding in calcium chloride.**

**Answer:** (This answer requires a diagram. In the dot and cross diagram, the calcium atom loses two electrons—one to each chlorine atom. The calcium becomes  $Ca^{2+}$ , and each chlorine becomes  $Cl^-$  with a full outer shell of eight electrons, shown as dots or crosses.)

**Q11. Why do compounds made from Group 1 and Group 7 elements form ionic bonds?**

**Answer:** Group 1 elements lose one electron to form +1 ions, while Group 7 elements gain one electron to form -1 ions. This electron transfer forms oppositely charged ions, which are then held together by strong electrostatic forces. This results in the formation of an ionic compound.

**Q12. How do atoms in a covalent bond achieve a full outer shell?**

**Answer:** In covalent bonding, atoms share pairs of electrons so that each atom has a full outer shell. By sharing electrons, non-metal atoms can achieve the stable electronic configuration of a noble gas without transferring electrons completely.

**Q13. Explain the difference between single and double covalent bonds.**

**Answer:** A single covalent bond involves one pair of shared electrons between two atoms, while a double covalent bond involves two pairs of shared electrons. For example, in  $H_2$  each hydrogen shares one electron, but in  $O_2$ , each oxygen shares two electrons with the other.

**Q14. Describe the bonding in a hydrogen molecule.**

**Answer:** In a hydrogen molecule ( $H_2$ ), each hydrogen atom shares one electron with the other, forming a single covalent bond. This gives both atoms two electrons in their outer shell, which is the stable configuration for hydrogen.

**Q15. How is a molecule of oxygen held together?**

**Answer:** A molecule of oxygen ( $O_2$ ) is held together by a double covalent bond. Each oxygen atom shares two electrons with the other, so that both atoms have eight electrons in their outer shells, making them stable.

**Q16. Explain why nitrogen forms three covalent bonds.**

**Answer:** Nitrogen has five electrons in its outer shell and needs three more to achieve a full outer shell. By forming three covalent bonds with other atoms (such as in  $N_2$  or  $NH_3$ ), nitrogen shares electrons to reach a stable configuration of eight outer electrons.

**Q17. What type of bonding is found in carbon dioxide?**

**Answer:** Carbon dioxide contains covalent bonds. The carbon atom forms two double covalent

bonds, one with each oxygen atom, by sharing two pairs of electrons with each. This allows all atoms to have a full outer shell of electrons.

**Q18. Describe the electron arrangement of a fluoride ion.**

**Answer:** A fluorine atom has the electronic structure 2,7. It gains one electron to form a fluoride ion ( $F^-$ ), resulting in a full outer shell of eight electrons. The electron arrangement of  $F^-$  is 2,8, the same as neon.

**Q19. Why is magnesium oxide an ionic compound?**

**Answer:** Magnesium is a metal that loses two electrons to form  $Mg^{2+}$ , and oxygen is a non-metal that gains two electrons to form  $O^{2-}$ . The transfer of electrons from magnesium to oxygen forms oppositely charged ions, which are held together by strong ionic bonds.

**Q20. Why do ionic compounds have high melting points?**

**Answer:** Ionic compounds have high melting points because the strong electrostatic forces between the oppositely charged ions in the giant lattice require a large amount of energy to break. These forces act in all directions, making the lattice very stable and difficult to melt.

**Q21. What is meant by a delocalised electron in metallic bonding?**

**Answer:** A delocalised electron is an electron that is not attached to any one atom and is free to move throughout the metal structure. In metallic bonding, atoms release some of their electrons, which move freely and hold the positive ions together through electrostatic attraction.

**Q22. Why are metals good conductors of electricity?**

**Answer:** Metals are good conductors because they have delocalised electrons that can move freely through the structure. When a voltage is applied, these electrons flow easily, carrying electrical current throughout the metal.

**Q23. Describe the structure of a metal in terms of particles.**

**Answer:** A metal consists of a giant structure of positive ions arranged in layers, surrounded by a sea of delocalised electrons. These electrons move freely and hold the metal ions together through strong metallic bonding, giving the structure strength and conductivity.

**Q24. Explain how metallic bonding gives metals high melting points.**

**Answer:** In metals, the strong electrostatic attraction between the positive metal ions and the sea of delocalised electrons requires a lot of energy to overcome. This makes it difficult to separate the particles, so metals have high melting and boiling points.

**Q25. What is an alloy and how does its bonding differ from pure metals?**

**Answer:** An alloy is a mixture of a metal with one or more other elements, often other metals. The different sized atoms distort the regular layers in the metallic structure, making it harder for them to slide over each other. This makes alloys stronger and harder than pure metals.

**Q26. What ions are formed when calcium reacts with oxygen?**

**Answer:** When calcium reacts with oxygen, calcium atoms each lose two electrons to form  $Ca^{2+}$  ions,

and oxygen atoms each gain two electrons to form  $O^{2-}$  ions. The compound formed is calcium oxide ( $CaO$ ), which consists of  $Ca^{2+}$  and  $O^{2-}$  ions held together by strong ionic bonds.

**Q27. Why do Group 2 metals form ions with a 2+ charge?**

**Answer:** Group 2 metals have two electrons in their outer shell. When they react, they lose both of these electrons to achieve the stable electronic configuration of a noble gas. Losing two electrons results in a 2+ charge, forming a divalent positive ion.

**Q28. Why do Group 7 elements form ions with a 1- charge?**

**Answer:** Group 7 elements have seven electrons in their outer shell and need one more to complete the shell. They gain one electron during reactions, forming a negatively charged ion ( $1-$ ), which gives them a stable, full outer shell like a noble gas.

**Q29. Compare the bonding in sodium chloride and oxygen gas.**

**Answer:** Sodium chloride has ionic bonding, where electrons are transferred from sodium to chlorine, forming oppositely charged ions held together by electrostatic forces. Oxygen gas has covalent bonding, where two oxygen atoms share two pairs of electrons to form a double bond.

**Q30. Describe how lithium fluoride is formed from its atoms.**

**Answer:** Lithium loses one electron to form a  $Li^+$  ion, and fluorine gains one electron to form an  $F^-$  ion. The electron is transferred from lithium to fluorine, resulting in oppositely charged ions that are attracted to each other by strong ionic bonding.

**Q31. Explain why Group 1 metals react more strongly as you go down the group.**

**Answer:** As you go down Group 1, the atoms get larger, and the outer electron is further from the nucleus and more shielded by inner electrons. This makes it easier to lose the outer electron, so reactivity increases down the group.

**Q32. Draw a dot and cross diagram to show the bonding in sodium oxide.**

**Answer:** (This requires a diagram. Sodium atoms each lose one electron to form two  $Na^+$  ions, and an oxygen atom gains two electrons to form an  $O^{2-}$  ion. The diagram should show two Na atoms transferring one electron each to the O atom.)

**Q33. Why do ionic compounds conduct electricity when molten but not when solid?**

**Answer:** In solid form, the ions in ionic compounds are fixed in place and cannot move. When molten, the lattice breaks down and the ions are free to move, allowing them to carry electric current through the liquid.

**Q34. Describe how potassium reacts with bromine to form an ionic compound.**

**Answer:** Potassium loses one electron to form a  $K^+$  ion, and bromine gains one electron to form a  $Br^-$  ion. The oppositely charged ions are held together by strong ionic bonds to form potassium bromide ( $KBr$ ), an ionic compound.

**Q35. What is the charge on the ions in aluminium chloride?**

**Answer:** In aluminium chloride ( $AlCl_3$ ), the aluminium ion has a charge of 3+ ( $Al^{3+}$ ) because it loses

three electrons. Each chloride ion has a charge of  $1-$  ( $\text{Cl}^-$ ) because each gains one electron. Three chloride ions are needed to balance one aluminium ion.

**Q36. How does the structure of sodium chloride explain its properties?**

**Answer:** Sodium chloride has a giant lattice structure of alternating  $\text{Na}^+$  and  $\text{Cl}^-$  ions. The strong electrostatic forces between the ions give it a high melting point, and when molten or dissolved in water, the free-moving ions conduct electricity.

**Q37. Describe what happens during the formation of magnesium sulfide.**

**Answer:** Magnesium atoms each lose two electrons to form  $\text{Mg}^{2+}$  ions, and sulfur atoms each gain two electrons to form  $\text{S}^{2-}$  ions. The oppositely charged ions attract each other to form the ionic compound magnesium sulfide ( $\text{MgS}$ ).

**Q38. Why is covalent bonding found in non-metallic elements?**

**Answer:** Non-metal atoms have similar tendencies to gain electrons. Instead of transferring electrons, they share them to achieve full outer shells. This sharing of electrons between atoms forms covalent bonds, which are common in molecules made from non-metals.

**Q39. Explain why diamond is a non-metal but has a very high melting point.**

**Answer:** Diamond is made of carbon atoms bonded covalently in a giant 3D lattice. Each carbon atom forms four strong covalent bonds. A large amount of energy is needed to break these bonds, giving diamond a very high melting point despite being a non-metal.

**Q40. Describe the bonding in a molecule of ammonia.**

**Answer:** In ammonia ( $\text{NH}_3$ ), the nitrogen atom shares three electrons with three hydrogen atoms, forming three single covalent bonds. Each hydrogen shares one electron with nitrogen, and nitrogen ends up with a full outer shell of eight electrons.

**Q41. Why do some elements form covalent bonds instead of ionic ones?**

**Answer:** When two non-metals react, both atoms want to gain electrons. Since neither can easily lose electrons, they share electrons instead to complete their outer shells. This leads to covalent bonding instead of forming ions.

**Q42. What is meant by electrostatic attraction in chemical bonding?**

**Answer:** Electrostatic attraction refers to the force that pulls together oppositely charged particles. In chemical bonding, it is the force between positive and negative ions in ionic bonding or between nuclei and shared electrons in covalent bonding.

**Q43. Why do covalent molecules have low melting and boiling points?**

**Answer:** Covalent molecules have strong bonds between atoms but only weak forces between molecules (intermolecular forces). These weak forces are easy to overcome, so covalent substances usually have low melting and boiling points.

**Q44. Compare the type of bonding in magnesium and carbon dioxide.**

**Answer:** Magnesium has metallic bonding, with positive metal ions surrounded by delocalised

electrons. Carbon dioxide has covalent bonding, with shared electrons between carbon and oxygen atoms. Metallic bonding allows conductivity; covalent bonding does not.

**Q45. How can dot and cross diagrams show the transfer of electrons in ionic bonding?**

**Answer:** Dot and cross diagrams use dots and crosses to represent electrons from different atoms. In ionic bonding, these diagrams show electrons moving from a metal to a non-metal, making clear which atom loses or gains electrons to form ions.

**Q46. Why do noble gases not form chemical bonds?**

**Answer:** Noble gases already have full outer electron shells. Because they are stable and do not need to gain, lose, or share electrons, they do not form chemical bonds easily and are mostly unreactive.

**Q47. Why is it easier to form an ion with fluorine than with oxygen?**

**Answer:** Fluorine needs to gain only one electron to complete its outer shell, while oxygen needs to gain two. Gaining one electron is easier and more energetically favourable, so fluorine forms ions more easily than oxygen.

**Q48. Describe how bonding changes the properties of elements when they form compounds.**

**Answer:** When elements bond, their individual properties change. For example, sodium is a soft, reactive metal, and chlorine is a toxic gas, but together they form sodium chloride—a stable, white solid. Bonding leads to new properties that differ from the original elements.

**Q49. Give an example of a compound with both ionic and covalent bonds.**

**Answer:** Ammonium chloride ( $\text{NH}_4\text{Cl}$ ) is an example. It has covalent bonds within the ammonium ion ( $\text{NH}_4^+$ ), but forms an ionic bond between the  $\text{NH}_4^+$  ion and the  $\text{Cl}^-$  ion. This shows how both types of bonding can exist in one compound.

**Q50. Explain why a compound made from calcium and fluorine is an ionic compound.**

**Answer:** Calcium is a metal that loses two electrons to form  $\text{Ca}^{2+}$  ions. Fluorine is a non-metal that gains one electron to form  $\text{F}^-$  ions. Two fluoride ions are needed to balance one calcium ion. The strong electrostatic forces between  $\text{Ca}^{2+}$  and  $\text{F}^-$  ions form an ionic compound—calcium fluoride ( $\text{CaF}_2$ ).

**Q51. Explain why ionic compounds form giant lattice structures.**

**Answer:** Ionic compounds form giant lattice structures because the oppositely charged ions attract each other strongly in all directions. This electrostatic attraction repeats in a regular pattern, resulting in a large, three-dimensional structure known as a giant ionic lattice.

**Q52. Describe the forces that hold ions together in an ionic lattice.**

**Answer:** The ions are held together by strong electrostatic forces of attraction between the positively charged metal ions and the negatively charged non-metal ions. These forces act in all directions throughout the lattice.

**Q53. What is meant by the term “electrostatic attraction” in ionic bonding?**

**Answer:** Electrostatic attraction in ionic bonding refers to the force that pulls opposite charges

together. In ionic compounds, it is the attraction between the positively charged metal ions and the negatively charged non-metal ions.

**Q54. Why are the electrostatic forces in an ionic compound described as acting in all directions?**

**Answer:** The forces act in all directions because each ion is surrounded by ions of the opposite charge. The attraction is not limited to one direction, creating a strong, stable three-dimensional structure.

**Q55. Describe how the structure of sodium chloride can be represented in 2D.**

**Answer:** In 2D, the structure of sodium chloride can be shown as a grid or checkerboard pattern with alternating  $\text{Na}^+$  and  $\text{Cl}^-$  ions arranged in rows and columns, representing the repeating pattern of the ionic lattice.

**Q56. What information is missing from a ball and stick model of an ionic compound?**

**Answer:** A ball and stick model does not show the true scale of distances between ions or the strength of the forces. It also does not show the actual shapes and sizes of the ions or the charges on them.

**Q57. How can you tell from a diagram that a compound has ionic bonding?**

**Answer:** A diagram showing a regular pattern of positive and negative ions arranged in a lattice suggests ionic bonding. Often, ions are represented with their charges, and the structure is shown as repeating.

**Q58. What is a limitation of using a dot and cross diagram to show an ionic structure?**

**Answer:** Dot and cross diagrams usually only show the transfer of electrons between two ions and do not represent the 3D arrangement of the full lattice or the overall structure of the compound.

**Q59. Why do ball and stick models of ionic compounds often exaggerate the distances between ions?**

**Answer:** The distances are exaggerated to make the structure clearer and easier to see. It helps to show how ions are connected in space but does not represent real distances accurately.

**Q60. What are the limitations of using a 2D representation of an ionic lattice?**

**Answer:** A 2D diagram cannot fully show the three-dimensional structure of the lattice. It can also miss out how ions are arranged above or below each other and may oversimplify the bonding.

**Q61. What is meant by the term “giant ionic structure”?**

**Answer:** A giant ionic structure is a large, repeating three-dimensional arrangement of oppositely charged ions held together by strong electrostatic forces in all directions, forming a solid lattice.

**Q62. How can a 3D model help us understand the properties of ionic compounds?**

**Answer:** A 3D model shows how ions are arranged in all directions and helps explain why ionic compounds have high melting points, are brittle, and conduct electricity when molten or dissolved.

**Q63. Describe how to work out the empirical formula of an ionic compound from a model.**

**Answer:** Count the ratio of positive to negative ions shown in the model and write the simplest whole number ratio of ions. For example, 2 Na<sup>+</sup> ions and 1 O<sup>2-</sup> ion give the empirical formula Na<sub>2</sub>O.

**Q64. If a diagram shows 6 Na<sup>+</sup> ions and 6 Cl<sup>-</sup> ions, what is the empirical formula?**

**Answer:** The ratio of Na<sup>+</sup> to Cl<sup>-</sup> ions is 1:1, so the empirical formula is NaCl.

**Q65. What is the advantage of showing ions in different colours in a ball and stick diagram?**

**Answer:** Using different colours helps to easily identify which ions are positive and which are negative. It makes the diagram clearer and easier to interpret.

**Q66. Why does sodium chloride form a regular, repeating structure?**

**Answer:** The opposite charges of the Na<sup>+</sup> and Cl<sup>-</sup> ions attract each other strongly and evenly in all directions, leading to a regular, repeating pattern in three dimensions.

**Q67. Why are ions arranged in a fixed pattern in an ionic solid?**

**Answer:** The strong electrostatic attractions between the oppositely charged ions hold them in a fixed, regular arrangement to minimise repulsion and maximise attraction.

**Q68. How does the structure of sodium chloride explain its melting point?**

**Answer:** Sodium chloride has a giant ionic lattice with strong forces of attraction in all directions between ions. A lot of energy is needed to overcome these forces, resulting in a high melting point.

**Q69. What type of bonding involves the transfer of electrons?**

**Answer:** Ionic bonding involves the transfer of electrons from a metal to a non-metal, forming positive and negative ions.

**Q70. Describe the key difference between ionic and covalent bonding.**

**Answer:** In ionic bonding, electrons are transferred from one atom to another, forming ions. In covalent bonding, atoms share pairs of electrons.

**Q71. What happens to the outer electrons when two hydrogen atoms form a bond?**

**Answer:** Each hydrogen atom shares its one outer electron with the other, forming a shared pair of electrons in a covalent bond to complete their outer shell.

**Q72. Why are covalent bonds considered strong?**

**Answer:** Covalent bonds are strong because the shared electrons are attracted to the nuclei of both atoms, holding the atoms together tightly.

**Q73. What does a line between two atoms represent in a covalent molecule?**

**Answer:** A line represents a single covalent bond, showing a shared pair of electrons between the two atoms.

**Q74. Draw a dot and cross diagram to show the bonding in a water molecule.**

**Answer:** A water molecule (H<sub>2</sub>O) has an oxygen atom sharing one pair of electrons with each hydrogen atom. The oxygen has two lone pairs of electrons.

(Diagram not shown in text—should be drawn with oxygen in the middle, one dot-cross pair between each H and O.)

**Q75. How is a nitrogen molecule held together?**

**Answer:** A nitrogen molecule ( $N_2$ ) is held together by a triple covalent bond, meaning each nitrogen atom shares three pairs of electrons with the other. This strong bond makes nitrogen molecules very stable.

**Q76. What is the difference between a single and triple covalent bond?**

**Answer:** A single covalent bond involves one shared pair of electrons between two atoms, while a triple covalent bond involves three shared pairs of electrons. Triple bonds are stronger and shorter than single bonds and involve more electrons being shared to satisfy the outer shells of the atoms.

**Q77. Describe the bonding in a molecule of methane.**

**Answer:** In methane ( $CH_4$ ), the carbon atom shares one pair of electrons with each of the four hydrogen atoms, forming four single covalent bonds. Each hydrogen atom has a complete outer shell with two electrons, and the carbon has eight electrons in its outer shell.

**Q78. Why do small covalent molecules have low melting and boiling points?**

**Answer:** Small covalent molecules have weak intermolecular forces between them. These forces are much weaker than covalent bonds and require little energy to overcome, which means the substances melt or boil at low temperatures.

**Q79. Name two substances that consist of small covalent molecules.**

**Answer:** Water ( $H_2O$ ) and oxygen ( $O_2$ ) are both examples of small covalent molecules. They consist of a small number of atoms bonded together and are held together by covalent bonds.

**Q80. What is the molecular formula of a chlorine molecule?**

**Answer:** The molecular formula of a chlorine molecule is  $Cl_2$ . It consists of two chlorine atoms bonded together by a single covalent bond.

**Q81. How can you tell if a substance is a polymer from its diagram?**

**Answer:** In a polymer diagram, you can identify a repeating pattern of atoms or groups of atoms. The diagram often shows brackets around the repeating unit with a letter "n" outside to indicate a large number of these units joined together.

**Q82. What does the 'n' represent in a polymer diagram?**

**Answer:** The 'n' in a polymer diagram shows that the repeating unit is repeated many times to make a long-chain molecule. It represents the number of repeating units in the polymer.

**Q83. Explain what is meant by a repeating unit in a polymer.**

**Answer:** A repeating unit in a polymer is the part of the molecule that repeats over and over along the chain. It shows the atoms and bonds in one section of the polymer and is used to represent the whole structure more simply.

**Q84. What is the difference between a small molecule and a polymer?**

**Answer:** A small molecule contains just a few atoms joined by covalent bonds and exists as a single unit, while a polymer is a large molecule made of many repeating units of small molecules joined together in a long chain.

**Q85. Why are polymers usually solids at room temperature?**

**Answer:** Polymers are solids at room temperature because the intermolecular forces between the long chains are relatively strong, requiring more energy to break. This gives them higher melting points compared to small molecules.

**Q86. Give one example of a giant covalent structure.**

**Answer:** Diamond is an example of a giant covalent structure. It is made entirely of carbon atoms, each bonded to four other carbon atoms in a strong, three-dimensional lattice.

**Q87. Describe how atoms are bonded in a diamond structure.**

**Answer:** In diamond, each carbon atom forms four strong covalent bonds with four other carbon atoms. This creates a rigid, three-dimensional lattice structure that is very hard and strong.

**Q88. Why does diamond have a high melting point?**

**Answer:** Diamond has a high melting point because it has a giant covalent structure with strong covalent bonds in all directions. A lot of energy is required to break these bonds and change the state of the substance.

**Q89. How is silicon dioxide similar to diamond?**

**Answer:** Silicon dioxide has a giant covalent structure like diamond. In silicon dioxide, each silicon atom is bonded to four oxygen atoms, and each oxygen is bonded to two silicon atoms, forming a strong, rigid 3D network.

**Q90. What type of bonding holds atoms together in a giant covalent structure?**

**Answer:** Atoms in a giant covalent structure are held together by strong covalent bonds. These bonds extend throughout the whole structure, making it very hard and giving it a high melting point.

**Q91. Draw a dot and cross diagram for a molecule of hydrogen chloride.**

**Answer:** In hydrogen chloride (HCl), the hydrogen atom shares one electron (dot) and the chlorine atom shares one electron (cross) to form a single covalent bond. The chlorine also has three lone pairs of electrons.

(Diagram to be drawn with shared pair between H and Cl and 3 lone pairs on Cl.)

**Q92. What are the limitations of dot and cross diagrams for covalent molecules?**

**Answer:** Dot and cross diagrams can clearly show how electrons are shared but do not show the 3D shape of the molecule or the strength of the bonds. They also use symbols (dots and crosses) which may confuse the actual source of electrons once bonding occurs.

**Q93. Why do ball and stick models sometimes give a misleading view of molecules?**

**Answer:** Ball and stick models exaggerate the distances between atoms and do not accurately

represent bond angles or relative atom sizes. The sticks suggest fixed positions, but in reality, atoms are surrounded by electron clouds.

**Q94. Describe one limitation of using 2D diagrams to show molecular structures.**

**Answer:** 2D diagrams do not show the actual shape of the molecule or the angles between the bonds. They can also be misleading when used for molecules that have a 3D arrangement of atoms.

**Q95. What is one benefit of using a 3D ball and stick model?**

**Answer:** A 3D ball and stick model helps to visualise the shape of the molecule and the angles between bonds. This gives a clearer understanding of the molecule's geometry and how atoms are arranged in space.

**Q96. How can you deduce the molecular formula from a diagram of a covalent molecule?**

**Answer:** Count the total number of each type of atom shown in the diagram and write them together in the correct ratio. For example, if a diagram shows 1 carbon and 4 hydrogen atoms, the molecular formula is CH<sub>4</sub>.

**Q97. How many covalent bonds does each carbon atom form in diamond?**

**Answer:** Each carbon atom in diamond forms four covalent bonds. These bonds connect the carbon to four other carbon atoms in a strong, three-dimensional network.

**Q98. What type of diagram is best for showing the shape of a molecule?**

**Answer:** A 3D ball and stick diagram is best for showing the shape of a molecule. It allows you to see the angles between bonds and the arrangement of atoms in space.

**Q99. Why might different diagrams be used to show the same molecule?**

**Answer:** Different diagrams highlight different features. Dot and cross diagrams show electron sharing, ball and stick models show shape and structure, and 2D diagrams are simple and quick. Each has advantages depending on what you want to explain.

**Q100. How can the structure of a substance help identify its type of bonding?**

**Answer:** The structure gives clues about bonding. A regular lattice with charged particles suggests ionic bonding. A simple molecule with shared electrons shows covalent bonding. A regular pattern of atoms with delocalised electrons shows metallic bonding.

**Q101. Describe the arrangement of atoms in a metallic structure.**

**Answer:** In a metallic structure, atoms are arranged in a regular, repeating pattern forming a giant lattice. The outer electrons of each atom are free to move and are delocalised, leaving behind positively charged metal ions in fixed positions within the structure.

**Q102. What is meant by a delocalised electron in metallic bonding?**

**Answer:** A delocalised electron is an outer-shell electron that is not bound to any specific atom and is free to move throughout the entire metal lattice. These electrons form a 'sea' of negative charge that surrounds the positive metal ions.

**Q103. Explain how metallic bonds hold metal atoms together.**

**Answer:** Metallic bonds are the strong electrostatic attractions between the delocalised electrons and the positively charged metal ions. These forces act in all directions, holding the metal ions together in a solid structure.

**Q104. Why do metals conduct electricity?**

**Answer:** Metals conduct electricity because their delocalised electrons are free to move throughout the lattice. When a voltage is applied, these electrons carry electrical current by moving from the negative to the positive end.

**Q105. How does the structure of a metal contribute to its malleability?**

**Answer:** In metals, the atoms are arranged in layers that can slide over each other when force is applied. Because of the delocalised electrons, the metallic bonds do not break when layers move, allowing the metal to bend without shattering.

**Q106. Why do metals have high melting and boiling points?**

**Answer:** Metals have high melting and boiling points because of the strong electrostatic forces between the positive metal ions and the delocalised electrons. These metallic bonds require a large amount of energy to break.

**Q107. What role do delocalised electrons play in thermal conductivity?**

**Answer:** Delocalised electrons help conduct heat by transferring energy quickly through the metal lattice. As they move freely, they carry thermal energy from the hotter part of the metal to the cooler part efficiently.

**Q108. Describe the forces acting in a metallic bond.**

**Answer:** The main force in metallic bonding is the electrostatic attraction between positively charged metal ions and the surrounding sea of delocalised electrons. These forces are strong and act in all directions, keeping the metal lattice together.

**Q109. Why can metals be bent and shaped?**

**Answer:** Metals can be bent and shaped because their atoms are arranged in layers. When a force is applied, these layers can slide over each other without breaking the metallic bonds, allowing the metal to change shape without breaking.

**Q110. How does a giant metallic lattice differ from an ionic lattice?**

**Answer:** A giant metallic lattice consists of positive metal ions surrounded by delocalised electrons, whereas an ionic lattice contains alternating positive and negative ions held together by ionic bonds. Metals conduct electricity as solids, but ionic compounds do not.

**Q111. Explain why alloys are harder than pure metals.**

**Answer:** Alloys are harder than pure metals because they contain atoms of different sizes. This disrupts the regular arrangement of layers in the metal, making it more difficult for the layers to slide over each other and preventing the metal from being too soft.

**Q112. How can a 2D diagram show metallic bonding?**

**Answer:** A 2D diagram of metallic bonding usually shows a regular arrangement of positive metal ions with surrounding dots or crosses to represent delocalised electrons. Although it's flat, it helps to visualise the bond between ions and electrons.

**Q113. What does a 3D model of a metal lattice show more clearly than a 2D model?**

**Answer:** A 3D model shows the full spatial arrangement of the metal ions and the delocalised electron cloud, making it easier to understand the structure's strength and uniformity. It also helps visualise how layers can slide over one another.

**Q114. Why are giant metallic structures strong?**

**Answer:** Giant metallic structures are strong because of the strong electrostatic attraction between the positive metal ions and the delocalised electrons. These metallic bonds hold the atoms tightly together and are hard to break.

**Q115. What happens to the structure of a metal when it melts?**

**Answer:** When a metal melts, the metallic bonds are weakened by the heat energy, allowing the metal ions to move more freely. The orderly lattice breaks down, and the metal becomes a liquid, although the electrons remain mobile.

**Q116. State the three states of matter.**

**Answer:** The three states of matter are solid, liquid, and gas. These states differ in particle arrangement, movement, and energy. Solids have fixed positions, liquids can flow but stay close, and gases move freely and spread out.

**Q117. At what point does a solid become a liquid?**

**Answer:** A solid becomes a liquid at its melting point. At this temperature, the particles gain enough energy to break the strong forces holding them in fixed positions, allowing them to move around and form a liquid.

**Q118. What does the particle model use to represent particles?**

**Answer:** The particle model uses small solid spheres to represent atoms, molecules, or ions. These are used to explain the structure, movement, and behaviour of substances in different states of matter.

**Q119. Describe the arrangement of particles in a solid.**

**Answer:** In a solid, particles are closely packed in a fixed, regular arrangement. They vibrate in place but do not move from their positions, giving the solid a definite shape and volume.

**Q120. How are particles arranged in a liquid?**

**Answer:** In a liquid, particles are close together but not in a fixed arrangement. They can move past one another, allowing the liquid to flow and take the shape of its container while maintaining a constant volume.

**Q121. Explain the movement of gas particles in the particle model.**

**Answer:** In a gas, particles are far apart and move quickly in all directions. They move randomly and

collide with each other and the walls of the container. This constant, rapid movement gives gases their ability to spread and fill any space.

**Q122. What changes occur to particles during melting?**

**Answer:** During melting, particles gain energy and vibrate more until they break free from their fixed positions in a solid. They then start to move around more freely, forming a liquid with no fixed shape.

**Q123. What happens to the energy of particles during boiling?**

**Answer:** During boiling, particles gain enough energy to overcome the forces holding them together in a liquid. This allows them to move freely and escape into the air as a gas.

**Q124. Why do substances with strong bonds have higher boiling points?**

**Answer:** Substances with strong bonds need more energy to overcome these forces during boiling. The stronger the bonds between particles, the more heat is required to separate them and turn the substance into a gas.

**Q125. How does the type of bonding affect melting point?**

**Answer:** The type of bonding affects how much energy is needed to melt a substance. Ionic and covalent bonds are strong and result in high melting points, while weak intermolecular forces in small molecules lead to lower melting points.

**Q126. Describe what happens when a gas condenses.**

**Answer:** When a gas condenses, the particles lose energy and slow down. As a result, the attractive forces between them become strong enough to pull the particles closer together, turning the gas into a liquid. The gas changes state without changing its chemical composition.

**Q127. Why does energy need to be transferred for a solid to melt?**

**Answer:** Energy must be transferred to a solid for it to melt because the particles in a solid are held together by strong forces. The added energy allows the particles to vibrate more until they overcome these forces, allowing them to move around more freely as a liquid.

**Q128. How does particle theory explain the freezing process?**

**Answer:** According to particle theory, freezing occurs when a liquid is cooled, causing the particles to lose energy. As they move more slowly, the attractive forces between them become strong enough to fix the particles in a regular pattern, forming a solid.

**Q129. What is the melting point of a substance?**

**Answer:** The melting point is the temperature at which a substance changes from a solid to a liquid. At this point, the particles have enough energy to break free from their fixed positions and begin to move more freely.

**Q130. What is the boiling point of a substance?**

**Answer:** The boiling point is the temperature at which a liquid changes into a gas. At this temperature, the particles have enough energy to overcome the forces holding them in the liquid and spread out to become a gas.

**Q131. How can you predict the state of a substance at a given temperature?**

**Answer:** To predict the state, compare the given temperature to the substance's melting and boiling points. If the temperature is below the melting point, the substance is a solid. If it's between the melting and boiling points, it is a liquid. If it's above the boiling point, it is a gas.

**Q132. What type of bonding is found in substances with very high boiling points?**

**Answer:** Substances with very high boiling points usually have ionic, metallic, or giant covalent bonding. These types of bonding involve strong attractions between particles, which require a large amount of energy to break.

**Q133. How does particle movement differ between solids and liquids?**

**Answer:** In solids, particles vibrate around fixed positions and do not move from place to place. In liquids, particles are still close together but can move past one another, allowing the liquid to flow and change shape.

**Q134. Describe the energy changes during condensation.**

**Answer:** During condensation, particles lose thermal energy and slow down. This allows the attractive forces between particles to pull them closer together, changing their state from gas to liquid. The energy is released to the surroundings as heat.

**Q135. Why do gases expand to fill their container?**

**Answer:** Gases expand to fill their container because their particles move freely in all directions with high kinetic energy. Since there are no fixed positions or strong attractions, the particles spread out evenly in all available space.

**Q136. What are the main limitations of the simple particle model?**

**Answer:** The simple particle model assumes particles are solid spheres with no forces between them. It does not show the size, shape, or the nature of real atoms and molecules, and it fails to represent the forces acting between particles.

**Q137. Why is it incorrect to show particles as solid spheres?**

**Answer:** It is incorrect because real particles, like atoms and molecules, are not solid spheres. They have internal structures, varying shapes, and are often not spherical. Showing them as solid spheres oversimplifies their behaviour and interactions.

**Q138. How does the simple model fail to show forces between particles?**

**Answer:** The simple model does not include any indication of the attractive or repulsive forces that act between particles. It only shows particles as isolated spheres, ignoring the interactions that determine physical properties.

**Q139. Why is the particle model useful despite its limitations?**

**Answer:** The particle model is useful because it helps explain the behaviour of substances in different states. It makes concepts like melting, boiling, and diffusion easier to understand, even though it does not fully represent particle interactions.

**Q140. Explain why atoms do not have the same properties as bulk materials.**

**Answer:** Atoms are single particles, but bulk materials are made up of many atoms bonded together. The properties of bulk materials depend on how atoms are arranged, bonded, and interact, which is different from the behaviour of individual atoms.

**Q141. What happens to the particle spacing when a solid melts?**

**Answer:** When a solid melts, the particles gain energy and move slightly further apart. They are no longer in fixed positions and can move around each other, increasing the spacing and allowing the substance to flow as a liquid.

**Q142. What is meant by the term "state change"?**

**Answer:** A state change is a physical change in which a substance changes from one state of matter to another—such as from solid to liquid, liquid to gas, or vice versa—without changing its chemical composition.

**Q143. Why does boiling require more energy than melting?**

**Answer:** Boiling requires more energy than melting because all the attractive forces between the particles must be overcome to allow them to become free-moving gas particles. Melting only requires the particles to break free from fixed positions, not completely separate.

**Q144. How can bonding explain the difference in melting points between sodium and magnesium?**

**Answer:** Magnesium has stronger metallic bonds than sodium because it has more delocalised electrons and a higher charge on its ions. This means more energy is required to break the bonds in magnesium, giving it a higher melting point than sodium.

**Q145. Why does a covalent molecular substance have a low boiling point?**

**Answer:** Covalent molecular substances have low boiling points because they have weak intermolecular forces between molecules. These weak forces are easy to overcome with a small amount of energy, so the substance boils at a low temperature.

**Q146. Describe how you could identify a substance's state at room temperature using its melting and boiling points.**

**Answer:** If the substance's melting point is above room temperature, it is a solid. If the melting point is below room temperature and the boiling point is above it, the substance is a liquid. If the boiling point is below room temperature, the substance is a gas.

**Q147. Why does increasing temperature make particles move faster?**

**Answer:** When temperature increases, particles gain more kinetic energy. This causes them to move faster, vibrate more in solids, move around more freely in liquids, and move rapidly in all directions in gases.

**Q148. How do strong forces between particles affect the physical state?**

**Answer:** Strong forces between particles keep them close together and limit their movement, making the substance solid or liquid. Substances with strong forces tend to be solids at room temperature, while weak forces allow gases or liquids.

**Q149. What happens to the kinetic energy of particles as a liquid cools and freezes?**

**Answer:** As a liquid cools, the particles lose kinetic energy and move more slowly. When it freezes, the particles have lost enough energy for attractive forces to fix them in place, forming a solid with a regular structure.

**Q150. How does the structure of a substance influence its state at a specific temperature?**

**Answer:** The type of bonding and arrangement of particles in a substance determine how easily its particles can move. Stronger bonds and tightly packed structures result in solids at room temperature, while weaker bonds lead to liquids or gases.

**Q151. What state symbol would you use for sodium chloride dissolved in water?**

**Answer:** The correct state symbol for sodium chloride dissolved in water is **(aq)**. This indicates that the substance is in aqueous solution, meaning it is dissolved in water and the ions are free to move around in the solution.

**Q152. Why do we include state symbols in chemical equations?**

**Answer:** State symbols show the physical state of each substance involved in a chemical reaction. They help to understand how substances interact and what conditions are needed. Including them makes chemical equations more informative and accurate.

**Q153. What does the state symbol (g) represent in a chemical equation?**

**Answer:** The state symbol **(g)** represents a **gas** in a chemical equation. It tells us that the substance exists in the gaseous state at the conditions under which the reaction is taking place.

**Q154. What is the meaning of the state symbol (aq)?**

**Answer:** The symbol **(aq)** stands for **aqueous**, which means the substance is dissolved in water. It indicates that the substance is present as ions or molecules in a water-based solution.

**Q155. When does an ionic compound conduct electricity?**

**Answer:** An ionic compound conducts electricity when it is **molten or dissolved in water**. In these states, the ions are free to move and carry electric charge through the liquid or solution.

**Q156. Why do solid ionic compounds not conduct electricity?**

**Answer:** In a solid ionic compound, the ions are fixed in place within the giant lattice structure. Since they cannot move, they cannot carry electric current, and so the compound does not conduct electricity in the solid state.

**Q157. Explain why molten ionic compounds can conduct electricity.**

**Answer:** When an ionic compound is molten, the rigid lattice breaks down and the ions are free to move. These mobile ions can carry electric current by moving towards the electrodes in an electric field, allowing the substance to conduct electricity.

**Q158. What is a giant ionic lattice?**

**Answer:** A giant ionic lattice is a three-dimensional arrangement of oppositely charged ions held together by strong electrostatic forces. This regular, repeating structure extends in all directions and is typical of solid ionic compounds.

**Q159. Describe the forces that hold ions together in an ionic compound.**

**Answer:** Ions in an ionic compound are held together by strong **electrostatic forces of attraction** between positively charged and negatively charged ions. These forces act in all directions throughout the lattice.

**Q160. Why do ionic compounds have high boiling points?**

**Answer:** Ionic compounds have high boiling points because a large amount of energy is needed to overcome the strong electrostatic forces holding the oppositely charged ions together in the giant lattice structure.

**Q161. How does the structure of an ionic compound explain its melting point?**

**Answer:** Ionic compounds have a regular lattice of strongly bonded ions. To melt the compound, enough energy must be supplied to break these strong ionic bonds throughout the lattice, resulting in high melting points.

**Q162. What happens to the ions in an ionic compound when it dissolves in water?**

**Answer:** When an ionic compound dissolves in water, the ions separate and become surrounded by water molecules. These free-moving hydrated ions allow the solution to conduct electricity.

**Q163. Why is sodium chloride a poor conductor when solid but a good conductor when molten?**

**Answer:** In solid sodium chloride, ions are locked in place and cannot move, so it cannot conduct electricity. When molten, the lattice breaks, the ions are free to move, and they can carry electric current.

**Q164. Why is a large amount of energy needed to melt an ionic compound?**

**Answer:** Melting an ionic compound requires breaking the strong electrostatic attractions between many oppositely charged ions throughout the structure. This needs a lot of energy, resulting in high melting points.

**Q165. What type of bonding is found in sodium bromide?**

**Answer:** Sodium bromide contains **ionic bonding**. Sodium loses one electron to form  $\text{Na}^+$  and bromine gains one electron to form  $\text{Br}^-$ . The oppositely charged ions are held together by strong electrostatic forces.

**Q166. Describe the movement of ions in a liquid ionic compound.**

**Answer:** In a liquid ionic compound, such as a molten state or aqueous solution, the ions are free to move. The positively charged ions move towards the negative electrode and the negatively charged ions move towards the positive electrode.

**Q167. What determines the strength of the electrostatic forces in an ionic compound?**

**Answer:** The strength of electrostatic forces depends on the **charge of the ions** and the **distance between them**. Higher charges and smaller ion sizes result in stronger forces and higher melting and boiling points.

**Q168. Why do small molecules have low melting and boiling points?**

**Answer:** Small molecules are held together by weak **intermolecular forces**, not strong bonds. These weak forces require little energy to overcome, so the substances melt and boil at low temperatures.

**Q169. What are intermolecular forces?**

**Answer:** Intermolecular forces are weak attractions that exist between molecules. They are responsible for holding molecules together in liquids and solids but are much weaker than the covalent or ionic bonds within the molecules.

**Q170. How do intermolecular forces affect boiling point?**

**Answer:** Substances with stronger intermolecular forces need more energy to separate the molecules, leading to higher boiling points. Weaker intermolecular forces mean less energy is needed, so the boiling point is lower.

**Q171. Why are substances with small molecules usually gases or liquids?**

**Answer:** Small molecules have weak intermolecular forces between them. These weak attractions are easy to overcome at room temperature, so the substances are usually gases or liquids instead of solids.

**Q172. Why do small covalent molecules not conduct electricity?**

**Answer:** Small covalent molecules do not have free electrons or charged particles (ions) that can move. Since there are no mobile charge carriers, these substances cannot conduct electricity in any state.

**Q173. What happens to intermolecular forces as molecule size increases?**

**Answer:** As molecule size increases, the surface area increases, leading to stronger intermolecular forces. This results in higher melting and boiling points for larger molecules compared to smaller ones.

**Q174. Explain why covalent bonds are not broken when molecular substances melt.**

**Answer:** When molecular substances melt, only the **intermolecular forces** between the molecules are broken. The covalent bonds inside each molecule remain intact, as these bonds are very strong and need much more energy to break.

**Q175. Compare the strength of intermolecular forces with covalent bonds.**

**Answer:** Intermolecular forces are much **weaker** than covalent bonds. Intermolecular forces can be overcome with a small amount of energy, leading to low melting and boiling points, while covalent bonds require a lot of energy to break.

**Q176. Why do substances with strong intermolecular forces have higher melting points?**

**Answer:** Substances with strong intermolecular forces require more energy to overcome these attractions between molecules. This means that the temperature must be higher to provide enough energy to separate the particles, resulting in a higher melting point compared to substances with weaker intermolecular forces.

**Q177. Give one example of a substance that consists of small molecules.**

**Answer:** Water ( $\text{H}_2\text{O}$ ) is an example of a substance made of small molecules. Each molecule consists of two hydrogen atoms and one oxygen atom bonded together by covalent bonds. The weak forces between the water molecules are easily overcome, so water is a liquid at room temperature.

**Q178. How can the structure of a molecule help predict its physical state?**

**Answer:** The structure of a molecule can show whether it has strong or weak intermolecular forces. Small molecules with weak forces are likely to be gases or liquids at room temperature, while larger molecules or those with strong forces between them are more likely to be solids.

**Q179. Why can molecular substances not carry electric current?**

**Answer:** Molecular substances do not contain free electrons or ions that can move and carry charge. Since electric current involves the movement of charged particles, and these substances lack them, they cannot conduct electricity.

**Q180. Describe the bonding in a polymer.**

**Answer:** In a polymer, the atoms are linked in long chains by strong covalent bonds. These bonds connect repeated units (monomers) to form a large molecule. The covalent bonds provide strength and stability to the polymer structure.

**Q181. What type of bonds hold atoms together in a polymer chain?**

**Answer:** The atoms in a polymer chain are held together by **covalent bonds**. These bonds are strong and link many repeating units (monomers) together to form long chains, which make up the polymer.

**Q182. Why are polymers usually solids at room temperature?**

**Answer:** Polymers are made of large molecules with many atoms bonded in long chains. These long chains have relatively strong intermolecular forces between them, which require more energy to overcome, so polymers are typically solids at room temperature.

**Q183. What is the repeating unit of a polymer?**

**Answer:** The repeating unit is the smallest group of atoms that repeats along the polymer chain. It shows the arrangement of atoms that continues throughout the whole polymer and helps represent the structure of the entire molecule.

**Q184. How do the intermolecular forces between polymer chains affect melting point?**

**Answer:** Stronger intermolecular forces between polymer chains make it harder to separate the chains from each other. This means more energy is needed to overcome these forces, resulting in a higher melting point.

**Q185. Why do polymers have higher melting points than simple molecular substances?**

**Answer:** Polymers have large molecules with many atoms, which leads to stronger intermolecular forces compared to those in small molecules. These stronger forces mean that more energy is required to melt the polymer, giving it a higher melting point.

**Q186. How can you recognise a polymer from its structural diagram?**

**Answer:** A polymer diagram usually shows a repeating unit enclosed in brackets with a small “n” to indicate that it repeats many times. The long chain structure with covalent bonds between atoms is a key feature.

**Q187. What is the role of covalent bonds in polymer chains?**

**Answer:** Covalent bonds link the atoms in each repeating unit and connect these units to form long polymer chains. These strong bonds give the polymer its structural integrity and are not broken when the polymer melts.

**Q188. Why can polymers be soft or hard depending on their structure?**

**Answer:** The hardness of a polymer depends on how tightly the chains are packed, how long they are, and the strength of the intermolecular forces. Tightly packed, long chains with strong forces make the polymer hard, while weaker forces make it soft.

**Q189. Compare the forces between molecules in small molecules and polymers.**

**Answer:** Small molecules have weak intermolecular forces, which are easy to break, leading to low melting and boiling points. Polymers have stronger intermolecular forces between their long chains, making them more solid and increasing their melting point.

**Q190. What does ‘n’ represent in a polymer structure diagram?**

**Answer:** The ‘n’ in a polymer diagram shows that the repeating unit is repeated **many times** to form the long chain of the polymer. It represents a large number of repeating units that make up the polymer molecule.

**Q191. Describe the bonding in a giant covalent structure.**

**Answer:** In a giant covalent structure, all atoms are bonded together by strong covalent bonds in a continuous network. These bonds extend throughout the entire structure, giving it strength, high melting points, and hardness.

**Q192. Why does diamond have a very high melting point?**

**Answer:** Diamond has a giant covalent structure where each carbon atom is strongly bonded to four others in a rigid 3D arrangement. Breaking this structure requires a lot of energy because of the many strong covalent bonds, leading to a very high melting point.

**Q193. What type of bonding is found in silicon dioxide?**

**Answer:** Silicon dioxide has **giant covalent bonding**. Each silicon atom is covalently bonded to four oxygen atoms, and each oxygen atom is bonded to two silicon atoms, forming a strong and extended network structure.

**Q194. Why are giant covalent structures hard and rigid?**

**Answer:** These structures have all atoms bonded by strong covalent bonds in a continuous network. This makes the structure very stable and hard to break or deform, resulting in materials that are hard and rigid.

**Q195. How is graphite different from diamond in structure?**

**Answer:** In graphite, each carbon atom forms three covalent bonds, creating flat layers of hexagonal rings. These layers are held together by weak forces and can slide over each other. In diamond, each carbon forms four bonds in a rigid 3D structure, making it hard.

**Q196. Why can graphite conduct electricity?**

**Answer:** Each carbon atom in graphite has one delocalised electron that is free to move along the layers. These mobile electrons allow graphite to conduct electricity, even though it is a non-metal.

**Q197. Describe the structure of diamond using a diagram.**

**Answer:** A diagram of diamond would show each carbon atom bonded to four other carbon atoms in a tetrahedral arrangement. The structure extends in 3D, forming a strong, rigid network with no free electrons or layers.

**Q198. What makes silicon dioxide similar to diamond?**

**Answer:** Both silicon dioxide and diamond have **giant covalent structures**. They consist of a network of strong covalent bonds that extend throughout the structure, giving them similar properties like high melting points and hardness.

**Q199. Why do atoms in giant covalent structures not move freely?**

**Answer:** The atoms are held firmly in place by strong covalent bonds in a fixed network. These bonds do not allow atoms to move freely, which is why giant covalent structures are solid and rigid.

**Q200. How can you tell from a diagram that a substance has a giant covalent structure?**

**Answer:** A diagram showing a repeating pattern of atoms connected by covalent bonds across a large area with no separate molecules or ions indicates a giant covalent structure. The continuous bonding suggests a solid network of atoms.

**Q201. Why do metals have high melting points?**

**Answer:** Metals have high melting points because they have a giant structure where strong metallic bonds hold the atoms together. These bonds are formed by the attraction between the positive metal ions and the delocalised electrons. A lot of energy is needed to break these strong forces, so metals melt at high temperatures.

**Q202. What is meant by a giant metallic structure?**

**Answer:** A giant metallic structure is a regular and continuous arrangement of positive metal ions surrounded by a sea of delocalised electrons. This structure extends in all directions, forming a solid with strong bonds and high strength.

**Q203. Explain how delocalised electrons allow metals to conduct electricity.**

**Answer:** In a metal, the outer electrons of the atoms are free to move throughout the structure. These delocalised electrons carry electric charge and can flow through the metal when a voltage is applied, allowing metals to conduct electricity.

**Q204. Why are metals good conductors of thermal energy?**

**Answer:** Metals are good conductors of thermal energy because their delocalised electrons can

move freely. These electrons transfer energy quickly by colliding with other electrons and atoms, spreading heat throughout the metal.

**Q205. Describe how the structure of a metal allows it to be bent and shaped.**

**Answer:** Metal atoms are arranged in layers in a regular pattern. These layers can slide over each other when force is applied, allowing the metal to be bent or shaped without breaking the structure.

**Q206. Why are pure metals often too soft for everyday use?**

**Answer:** Pure metals have atoms of the same size arranged in regular layers. These layers can slide over each other easily, making the metal soft. This softness makes pure metals unsuitable for many practical uses.

**Q207. What is an alloy and how is it formed?**

**Answer:** An alloy is a mixture of a metal with one or more other elements, usually other metals. It is formed by melting the metals together and then cooling the mixture, creating a solid with improved properties.

**Q208. Explain why alloys are harder than pure metals.**

**Answer:** Alloys are harder because the atoms of different sizes disrupt the regular layers in the metal. This prevents the layers from sliding over each other easily, making the alloy stronger and harder than the pure metal.

**Q209. What happens to the layers of atoms in a metal when it is alloyed?**

**Answer:** When a metal is alloyed, atoms of different sizes are added. This distorts the regular layers of atoms, making it more difficult for the layers to slide over each other, which increases the strength of the metal.

**Q210. Why does adding another metal to a pure metal make it less malleable?**

**Answer:** Adding another metal introduces atoms of different sizes. This disrupts the regular arrangement of atoms and stops the layers from sliding easily. As a result, the alloy becomes harder and less malleable than the pure metal.

**Q211. How does the arrangement of atoms change when a pure metal becomes an alloy?**

**Answer:** In a pure metal, atoms are arranged in regular layers. When it becomes an alloy, the different-sized atoms cause the layers to become uneven, disrupting the structure and making it more difficult for the layers to slide.

**Q212. Give an example of an alloy and describe its use.**

**Answer:** Steel is an alloy of iron and carbon. It is used in construction, tools, and machines because it is much harder and stronger than pure iron, making it more durable for everyday use.

**Q213. Why do delocalised electrons play a key role in metallic bonding?**

**Answer:** Delocalised electrons are free to move throughout the metal structure. They create strong attractions between the positive metal ions and the electron cloud, which holds the metal together in a strong and stable way.

**Q214. What are the physical properties shared by most metals?**

**Answer:** Most metals are shiny, good conductors of heat and electricity, malleable, ductile, and have high melting and boiling points. These properties are due to their giant metallic structure and the presence of delocalised electrons.

**Q215. Explain why metals are shiny.**

**Answer:** Metals are shiny because their surface electrons can reflect light effectively. The free electrons on the surface of the metal absorb and re-emit light, giving metals their characteristic lustre.

**Q216. Describe the bonding that holds a metal together.**

**Answer:** Metals are held together by metallic bonding, which is the strong attraction between positive metal ions and a sea of delocalised electrons. This bonding extends throughout the metal and gives it strength and other useful properties.

**Q217. Why are delocalised electrons free to move in metals?**

**Answer:** In metals, the outer electrons of the atoms are not bound to any specific atom. They are free to move throughout the structure, creating a sea of electrons that can carry charge and energy.

**Q218. What causes the metallic bond to be strong?**

**Answer:** The strong attraction between the positively charged metal ions and the delocalised electrons creates a strong metallic bond. This bond holds the structure together tightly and requires a lot of energy to break.

**Q219. Describe what happens to the atoms in a metal when it is stretched.**

**Answer:** When a metal is stretched, the layers of atoms slide over one another. Because the delocalised electrons can move with the atoms, the metallic bonds are maintained, and the metal can change shape without breaking.

**Q220. Why do different metals have different melting points?**

**Answer:** Different metals have different numbers of delocalised electrons and different arrangements of atoms. These factors affect the strength of the metallic bonds. Stronger bonds require more energy to break, resulting in higher melting points.

**Q221. Compare the electrical conductivity of copper and iron and explain the difference.**

**Answer:** Copper conducts electricity better than iron because it has more delocalised electrons and a structure that allows these electrons to move more freely. This makes copper a better choice for electrical wiring.

**Q222. What is the difference between thermal conductivity and electrical conductivity in metals?**

**Answer:** Thermal conductivity is the ability to transfer heat, while electrical conductivity is the ability to carry electric current. In metals, both rely on delocalised electrons, but they refer to the movement of energy and electric charge, respectively.

**Q223. Why is copper often used in electrical wiring?**

**Answer:** Copper is used in electrical wiring because it is an excellent conductor of electricity. It has

many delocalised electrons and low resistance, meaning it allows electric current to flow easily with minimal energy loss.

**Q224. Explain the role of mobile electrons in metal conductivity.**

**Answer:** Mobile electrons, or delocalised electrons, move freely through the metal. They carry electric charge when a voltage is applied and transfer thermal energy by moving and colliding with atoms, making the metal a good conductor.

**Q225. What is meant by a 'sea of electrons' in metallic bonding?**

**Answer:** A 'sea of electrons' refers to the delocalised electrons in a metal that are free to move throughout the structure. These electrons are not attached to any specific atom and help hold the metal together through metallic bonding.

**Q226. Why does diamond not conduct electricity?**

**Answer:** Diamond does not conduct electricity because all four outer electrons of each carbon atom are used in strong covalent bonds. There are no free or delocalised electrons available to carry an electric current through the structure.

**Q227. What type of structure does diamond have?**

**Answer:** Diamond has a giant covalent structure. In this structure, each carbon atom is bonded to four other carbon atoms in a regular three-dimensional network, forming a very strong and rigid structure.

**Q228. Why is diamond so hard?**

**Answer:** Diamond is hard because each carbon atom forms four strong covalent bonds with other carbon atoms. These bonds create a strong three-dimensional structure that is difficult to break, making diamond one of the hardest known materials.

**Q229. How many covalent bonds does each carbon atom form in diamond?**

**Answer:** In diamond, each carbon atom forms four covalent bonds with four other carbon atoms. This bonding pattern continues throughout the structure, creating a strong and rigid lattice.

**Q230. Why does diamond have a high melting point?**

**Answer:** Diamond has a high melting point because of the strong covalent bonds that extend throughout the giant structure. A lot of energy is needed to break these bonds, so diamond melts at a very high temperature.

**Q231. Describe the arrangement of atoms in a diamond crystal.**

**Answer:** In a diamond crystal, carbon atoms are arranged in a regular, three-dimensional pattern. Each atom is bonded to four others in a tetrahedral shape, forming a giant lattice that continues in all directions.

**Q232. How does the bonding in diamond make it useful in cutting tools?**

**Answer:** The strong covalent bonds in diamond make it extremely hard, allowing it to cut through other materials without breaking or wearing down. This hardness makes diamond ideal for use in cutting tools.

**Q233. Compare the bonding in diamond and graphite.**

**Answer:** In diamond, each carbon atom forms four covalent bonds, creating a hard, three-dimensional structure. In graphite, each carbon atom forms three covalent bonds, creating layers of hexagons with delocalised electrons between them. Graphite is soft and conducts electricity, while diamond is hard and does not conduct.

**Q234. Why can graphite conduct electricity but diamond cannot?**

**Answer:** Graphite can conduct electricity because each carbon atom forms only three bonds, leaving one electron free. These delocalised electrons can move between layers, allowing electric current to flow. Diamond has no free electrons, so it cannot conduct electricity.

**Q235. How many covalent bonds does each carbon atom form in graphite?**

**Answer:** In graphite, each carbon atom forms three covalent bonds with three other carbon atoms. The fourth outer electron becomes delocalised and is free to move within the layers.

**Q236. What gives graphite its slippery feel?**

**Answer:** Graphite feels slippery because its layers are held together by weak forces, allowing them to slide over each other easily. This makes graphite a good lubricant and gives it a smooth texture.

**Q237. Describe the arrangement of layers in graphite.**

**Answer:** In graphite, carbon atoms are arranged in flat layers of hexagonal rings. These layers are stacked on top of each other but are not strongly bonded, so they can slide past each other easily.

**Q238. Why are there no covalent bonds between layers in graphite?**

**Answer:** There are no covalent bonds between the layers in graphite because the layers are held together only by weak intermolecular forces. These forces are much weaker than covalent bonds and allow the layers to move freely.

**Q239. How do delocalised electrons behave in graphite?**

**Answer:** The delocalised electrons in graphite can move freely along the layers. These free-moving electrons allow graphite to conduct electricity and also help transfer heat through the material.

**Q240. Why is graphite used as a lubricant?**

**Answer:** Graphite is used as a lubricant because its layers can slide over each other easily due to weak forces between them. This reduces friction between surfaces and allows smooth movement.

**Q241. Compare the melting points of diamond and graphite and explain any similarity.**

**Answer:** Both diamond and graphite have very high melting points because they are giant covalent structures. In both materials, strong covalent bonds must be broken to melt them, which requires a lot of energy.

**Q242. Describe how the bonding in graphite is similar to metals.**

**Answer:** Like metals, graphite contains delocalised electrons that are free to move. This similarity in bonding allows both graphite and metals to conduct electricity and heat.

**Q243. Why does graphite have a high melting point?**

**Answer:** Graphite has a high melting point because of the strong covalent bonds within each layer of carbon atoms. A lot of energy is required to break these bonds, even though the layers themselves are loosely held together.

**Q244. What is the shape of the carbon rings in graphite?**

**Answer:** The carbon atoms in graphite are arranged in hexagonal rings. Each carbon atom is bonded to three others, forming flat sheets of hexagons that stack on top of each other.

**Q245. Explain how the structure of graphite allows it to be used in pencils.**

**Answer:** The layers in graphite can slide off easily due to weak forces between them. When you write with a pencil, these layers rub off onto the paper, making graphite ideal for use in pencil leads.

**Q246. What is meant by delocalised electron in the context of graphite?**

**Answer:** In graphite, a delocalised electron is an outer electron from each carbon atom that is not involved in bonding. These electrons are free to move through the layers and allow graphite to conduct electricity.

**Q247. How does the bonding in diamond differ from that in graphite?**

**Answer:** In diamond, each carbon atom forms four covalent bonds in a 3D structure, with no free electrons. In graphite, each carbon atom forms three covalent bonds, leaving one electron free to move between layers. This gives graphite different properties from diamond.

**Q248. What makes graphite soft even though it has strong covalent bonds?**

**Answer:** Graphite is soft because the layers of carbon atoms are held together by weak forces. These layers can slide over each other easily, even though the bonds within each layer are strong, making graphite soft and slippery.

**Q249. Why does diamond not have layers like graphite?**

**Answer:** Diamond does not have layers because each carbon atom is bonded to four others in a 3D network. This structure forms a rigid lattice with no planes or layers that can slide, unlike graphite.

**Q250. What makes both diamond and graphite examples of giant covalent structures?**

**Answer:** Both diamond and graphite are giant covalent structures because they consist of a large number of atoms bonded together by covalent bonds. These structures extend in all directions and require a lot of energy to break.

**Q251. What is graphene and how is it related to graphite?**

**Answer:** Graphene is a single layer of carbon atoms arranged in a hexagonal lattice. It is related to graphite because graphite is made up of many layers of graphene stacked on top of each other. While graphite is a bulk material, graphene is just one atom thick, yet it retains many of graphite's properties such as electrical conductivity and strength.

**Q252. Describe the bonding in graphene.**

**Answer:** In graphene, each carbon atom forms three covalent bonds with other carbon atoms, creating a flat sheet of hexagonal rings. The fourth outer electron from each carbon atom becomes

delocalised and can move freely across the structure. This strong covalent bonding within the layer gives graphene its strength, while the delocalised electrons allow electrical conductivity.

**Q253. Explain why graphene can conduct electricity.**

**Answer:** Graphene can conduct electricity because each carbon atom in the structure has one delocalised electron that is not involved in bonding. These free electrons can move across the surface of the graphene layer, carrying electric current efficiently. This makes graphene an excellent electrical conductor, despite being only one atom thick.

**Q254. Why is graphene strong even though it is only one atom thick?**

**Answer:** Graphene is extremely strong because of the strong covalent bonds between carbon atoms in its hexagonal structure. These covalent bonds are very hard to break, giving graphene a strength greater than that of steel, even though it is just one atom thick. Its 2D structure distributes force efficiently across the layer, making it both lightweight and incredibly strong.

**Q255. Describe one use of graphene in electronics.**

**Answer:** One use of graphene in electronics is in the development of flexible touchscreens. Because graphene is both transparent and an excellent conductor of electricity, it can be used to make screens that are not only responsive to touch but also bendable. This makes it ideal for future technology like foldable phones and wearable devices.

**Q256. How does the structure of graphene affect its properties?**

**Answer:** The structure of graphene, with its single layer of hexagonally arranged carbon atoms and delocalised electrons, gives it unique properties. These include high electrical and thermal conductivity, great tensile strength, and flexibility. Its two-dimensional form also allows it to be extremely lightweight while maintaining durability.

**Q257. What are fullerenes made of?**

**Answer:** Fullerenes are made entirely of carbon atoms. The atoms are bonded together in closed or nearly closed mesh structures that include hexagonal and sometimes pentagonal or heptagonal rings. These structures can form spheres, tubes, or ellipsoids, depending on how the carbon atoms are arranged.

**Q258. Describe the structure of Buckminsterfullerene (C<sub>60</sub>).**

**Answer:** Buckminsterfullerene (C<sub>60</sub>) is a spherical molecule made of 60 carbon atoms. Its structure resembles a football, consisting of 20 hexagons and 12 pentagons arranged in a pattern similar to a geodesic dome. Each carbon atom forms three covalent bonds, and the molecule is hollow, making it lightweight yet stable.

**Q259. How are the atoms arranged in a fullerene?**

**Answer:** In fullerenes, carbon atoms are arranged in closed structures made up of hexagonal and sometimes pentagonal or heptagonal rings. The atoms are bonded in such a way that the molecule forms a hollow shape—either a sphere, tube, or ellipsoid. This unique arrangement gives fullerenes their special chemical and physical properties.

**Q260. What types of rings are found in fullerenes?**

**Answer:** Fullerenes contain hexagonal rings, which are common in carbon structures, and also include pentagonal rings. These pentagonal rings are necessary to curve the flat hexagonal sheets into closed structures, like spheres in  $C_{60}$  or tubes in carbon nanotubes. Some fullerenes may also contain heptagonal rings in their structure.

**Q261. What is a carbon nanotube?**

**Answer:** A carbon nanotube is a type of fullerene in which carbon atoms are arranged in a cylindrical tube with a high length-to-diameter ratio. The walls of the tube consist of graphene-like sheets of carbon atoms rolled into a tube. They are incredibly strong, lightweight, and conduct electricity and heat very well.

**Q262. Describe the shape and size ratio of carbon nanotubes.**

**Answer:** Carbon nanotubes are cylindrical structures made of carbon atoms arranged in a pattern similar to a rolled-up sheet of graphene. They have a very high length-to-diameter ratio, often being thousands of times longer than they are wide. This shape gives them unique mechanical, electrical, and thermal properties.

**Q263. Explain why carbon nanotubes are useful in nanotechnology.**

**Answer:** Carbon nanotubes are useful in nanotechnology due to their strength, conductivity, and nanoscale size. They can be used to reinforce materials, conduct electricity in tiny circuits, or act as nanoscale containers for drug delivery. Their unique structure allows them to interact with matter at the molecular level.

**Q264. What are some uses of fullerenes in medicine?**

**Answer:** In medicine, fullerenes can be used for drug delivery systems. Their hollow structure allows them to carry molecules of drugs inside and release them at specific sites in the body. Fullerenes also show potential for use in cancer treatment, diagnostics, and as antioxidants because of their ability to trap harmful free radicals.

**Q265. Why are fullerenes good lubricants?**

**Answer:** Fullerenes are good lubricants because of their spherical shape and smooth surfaces, which allow them to roll between surfaces and reduce friction. Their molecular structure can help them act like tiny ball bearings, making them useful in reducing wear and tear between moving parts in machines.

**Q266. How can carbon nanotubes be used in electronics?**

**Answer:** Carbon nanotubes can be used in electronics to create nanoscale wires and transistors because of their excellent electrical conductivity. Their small size and high strength make them ideal for building tiny, fast, and energy-efficient components for use in advanced computing and flexible electronic devices.

**Q267. Describe one difference between graphene and fullerenes.**

**Answer:** One key difference between graphene and fullerenes is their shape. Graphene is a flat,

two-dimensional sheet of carbon atoms, while fullerenes are three-dimensional structures that can be spherical, tubular, or ellipsoidal. This difference in shape leads to different properties and applications.

## **Q268. What makes carbon nanotubes strong?**

**Answer:** Carbon nanotubes are strong because they consist of carbon atoms bonded together by strong covalent bonds in a hexagonal pattern. Their cylindrical shape also helps distribute force evenly along their structure. This makes them extremely resistant to breaking or bending despite being very thin.

## **Q269. Why are carbon nanotubes good conductors of electricity?**

**Answer:** Carbon nanotubes are good conductors of electricity because they have delocalised electrons that can move freely along their length. The structure of the nanotube allows for minimal resistance to electron flow, making them ideal for use in nano-sized electrical circuits and components.

## **Q270. Compare the properties of graphene and carbon nanotubes.**

**Answer:** Graphene is a flat sheet of carbon atoms, very strong, flexible, and a good conductor of electricity and heat. Carbon nanotubes are rolled-up graphene sheets, also strong and conductive but in a cylindrical form. Both materials have similar bonding but different shapes, leading to different uses in electronics and materials science.

## **Q271. What is meant by the term nanoscience?**

**Answer:** Nanoscience is the study of structures and materials on the nanometre scale—typically between 1 and 100 nanometres in size. At this scale, materials can have unique physical and chemical properties that differ from their bulk form. Nanoscience involves studying and using these properties for new technologies.

## **Q272. How small is a nanoparticle compared to an atom?**

**Answer:** Nanoparticles are typically larger than individual atoms but still extremely small. A single atom is around 0.1 nm in diameter, while nanoparticles range from 1 to 100 nm. This means a nanoparticle may contain a few hundred or thousand atoms, depending on its size and structure.

## **Q273. What is the size range of nanoparticles?**

**Answer:** Nanoparticles have a size range of 1 to 100 nanometres (nm). This range includes particles that are larger than individual atoms or molecules but still much smaller than most other materials. Their small size gives them a high surface area to volume ratio, which can lead to unique properties.

## **Q274. What is the typical size range of fine particles (PM2.5)?**

**Answer:** Fine particles, also known as PM2.5, typically have a diameter between 100 nanometres ( $1 \times 10^{-7}$  m) and 2,500 nanometres ( $2.5 \times 10^{-6}$  m). These particles are small enough to be inhaled into the lungs and are often produced by combustion processes like vehicle engines or industrial activity.

## **Q275. What is the typical size range of coarse particles (PM10)?**

**Answer:** Coarse particles, referred to as PM10, usually range in size from  $2.5 \times 10^{-6}$  metres (2,500 nm) to  $1 \times 10^{-5}$  metres (10,000 nm or 10 micrometres). These particles are larger than fine particles

and may include dust, pollen, and mould spores, which can be inhaled but usually do not reach deep into the lungs.

**Q276. Why do nanoparticles have different properties compared to bulk materials?**

**Answer:** Nanoparticles have different properties from bulk materials mainly due to their high surface area to volume ratio. A much larger proportion of their atoms are on the surface, which makes them more reactive and able to interact more efficiently with other substances. This allows them to act as better catalysts and gives them unique electrical, optical, and mechanical properties that do not appear in larger particles of the same material.

**Q277. How does the surface area to volume ratio change as particle size decreases?**

**Answer:** As particle size decreases, the surface area to volume ratio increases. This means that smaller particles have more surface area available compared to their volume. For nanoparticles, this large surface area makes them more reactive and suitable for use in catalysts, drug delivery, and other applications where surface interactions are important. The increased ratio enhances the efficiency of reactions involving nanoparticles.

**Q278. Why are nanoparticles useful in medicine?**

**Answer:** Nanoparticles are useful in medicine because they can deliver drugs directly to specific cells or tissues in the body. Their small size allows them to pass through cell membranes and reach areas that larger particles cannot. This targeted delivery helps reduce side effects and increases the effectiveness of treatment. Nanoparticles can also be used to improve imaging techniques and to carry therapeutic agents to cancer cells without affecting healthy cells.

**Q279. Give an example of a use of nanoparticles in sunscreen.**

**Answer:** In sunscreen, nanoparticles such as zinc oxide or titanium dioxide are used because they provide UV protection while appearing transparent on the skin. In bulk form, these materials would appear white and chalky, but in nanoparticle form, they are small enough to become invisible while still blocking harmful ultraviolet rays. This makes the sunscreen more aesthetically appealing and still effective.

**Q280. Explain how nanoparticles can improve the effectiveness of catalysts.**

**Answer:** Nanoparticles improve the effectiveness of catalysts because their high surface area allows more reactant molecules to come into contact with the catalyst surface at the same time. Since a greater proportion of the atoms are at the surface, the reactions happen more quickly and efficiently. This allows smaller amounts of the catalyst to be used while achieving the same or better results compared to bulk materials.

**Q281. Why are smaller amounts of nanoparticles needed compared to bulk materials?**

**Answer:** Smaller amounts of nanoparticles are needed because their high surface area to volume ratio allows them to interact more effectively with other substances. This means that even a small quantity can provide a large active surface for reactions or applications. In drug delivery, for example, this allows a lower dose of medication to be used while still achieving the desired effect, reducing waste and potential side effects.

**Q282. What is the risk of using nanoparticles in consumer products?**

**Answer:** One risk of using nanoparticles in consumer products is that their small size allows them to enter the body through the skin, lungs, or digestive system, and they might accumulate in tissues or organs. Because nanoparticles behave differently than larger particles, their long-term health effects are not fully understood. There are also concerns about environmental damage if nanoparticles enter water systems or soil and affect microorganisms or plants.

**Q283. Describe one advantage of using nanoparticles in electronics.**

**Answer:** One advantage of using nanoparticles in electronics is their ability to conduct electricity efficiently at a very small scale. This allows the development of smaller, faster, and more energy-efficient electronic devices. For example, carbon nanotubes can be used to create tiny, high-performance transistors or flexible circuits, contributing to the advancement of nanotechnology in electronics and computing.

**Q284. Explain the potential environmental concern with nanoparticles.**

**Answer:** The potential environmental concern with nanoparticles is that they can be released into air, water, or soil and interact with living organisms in ways that are not yet well understood. Their small size allows them to move easily through ecosystems and possibly enter the food chain. There is also worry that nanoparticles might harm beneficial bacteria or aquatic life, or disrupt natural processes due to their unusual reactivity and persistence.

**Q285. Compare the properties of bulk silver and silver nanoparticles.**

**Answer:** Bulk silver is known for its conductivity and appearance, but silver nanoparticles have additional properties such as antimicrobial activity, which bulk silver does not show to the same extent. This is because the nanoparticles have a greater surface area, which allows them to interact more with bacterial cells and disrupt their functions. Silver nanoparticles are used in wound dressings and coatings for medical devices to prevent infections.

**Q286. How can nanoparticles be used in drug delivery?**

**Answer:** Nanoparticles can be used in drug delivery by carrying medicines directly to the targeted part of the body, such as a tumour or a specific organ. Their small size allows them to pass through biological barriers and deliver the drug exactly where it is needed, which improves treatment efficiency and reduces side effects. Some nanoparticles can also be designed to release the drug slowly over time, providing controlled and sustained therapy.

**Q287. What makes nanoparticles more reactive than larger particles?**

**Answer:** Nanoparticles are more reactive than larger particles because they have a much higher proportion of atoms on their surface. This means that more atoms are available to interact with other substances, making them more likely to take part in chemical reactions. Their high surface area also increases their exposure to the environment, which enhances their effectiveness in applications like catalysis, drug delivery, and sensing technologies.

**Q288. Why do scientists study the surface properties of nanoparticles?**

**Answer:** Scientists study the surface properties of nanoparticles because most of the chemical and physical interactions occur at their surfaces. Understanding the surface characteristics helps in

designing nanoparticles for specific functions, such as binding to certain molecules in drug delivery or catalysing a reaction. Surface properties also affect how nanoparticles behave in the body or environment, which is important for safety and performance.

**Q289. Estimate the number of atoms across a nanoparticle 10 nm wide if each atom is 0.1 nm.**

**Answer:** If each atom is 0.1 nanometres wide and the nanoparticle is 10 nanometres in size, you can estimate the number of atoms across by dividing 10 nm by 0.1 nm, which equals 100 atoms. This means that approximately 100 atoms could fit across the width of a 10 nm nanoparticle. This shows how small nanoparticles are, yet still made up of many atoms in a single dimension.

**Q290. Describe the relationship between particle size and surface area to volume ratio.**

**Answer:** As particle size decreases, the surface area to volume ratio increases. This means that smaller particles have more surface area exposed compared to their overall volume. This high surface area is why nanoparticles are more reactive and effective in many applications. The greater the surface area relative to volume, the more interaction can take place with other materials or chemicals.

**Q291. What kind of bonding is present in graphene and fullerenes?**

**Answer:** Both graphene and fullerenes involve covalent bonding between carbon atoms. In graphene, each carbon atom forms three strong covalent bonds in a flat, hexagonal lattice. In fullerenes, carbon atoms are also bonded covalently in shapes like spheres or tubes made of hexagons and sometimes pentagons. The covalent bonds make the structures stable and give them unique electrical and mechanical properties.

**Q292. Why is a high surface area useful in catalytic applications?**

**Answer:** A high surface area is useful in catalytic applications because it allows more reactant molecules to come into contact with the catalyst at the same time. This increases the rate of the chemical reaction. Nanoparticles, with their high surface area to volume ratio, are especially effective as catalysts because they offer more active sites for reactions, which improves efficiency even with smaller amounts of material.

**Q293. How are nanoparticles different from molecules?**

**Answer:** Nanoparticles are collections of atoms or molecules that form a particle between 1–100 nanometres in size, while molecules are specific combinations of atoms bonded together in fixed ratios and structures. Nanoparticles often contain many atoms and can have properties influenced by both their size and surface area, whereas molecules are usually smaller and follow more defined chemical rules.

**Q294. Explain why some nanoparticles are used in antimicrobial coatings.**

**Answer:** Some nanoparticles, such as silver or copper nanoparticles, are used in antimicrobial coatings because they can kill bacteria or prevent their growth. These nanoparticles release ions that disrupt the functions of microbial cells or damage their membranes. Their small size allows them to cover surfaces more effectively, making them ideal for medical devices, clothing, or surfaces in hospitals.

**Q295. Give a reason why nanoparticles are effective in delivering medicine directly to cells.**

**Answer:** Nanoparticles are effective in delivering medicine directly to cells because they are small enough to pass through cell membranes and can be designed to bind specifically to target cells. This targeted delivery improves the effectiveness of the treatment, reduces harm to healthy tissues, and allows for lower doses of drugs to be used. It also helps the drug reach parts of the body that are hard to access using traditional methods.

**Q296. What is the standard form of 0.000000002 m?**

**Answer:** The standard form of 0.000000002 m is  $2 \times 10^{-9}$  m. This is the scientific way of writing very small numbers to make them easier to read and work with, especially when dealing with sizes like those of nanoparticles. Standard form helps express values clearly and is commonly used in scientific calculations and comparisons.

**Q297. Calculate the surface area of a cube-shaped nanoparticle with 2 nm sides.**

**Answer:** The surface area of a cube is calculated using the formula:  $6 \times \text{side}^2$ . For a cube with sides of 2 nm: Surface area =  $6 \times (2 \text{ nm})^2 = 6 \times 4 = 24 \text{ nm}^2$ . This means the nanoparticle has a surface area of 24 square nanometres. This large surface area relative to volume is one reason why nanoparticles are so reactive and useful in various fields.

**Q298. Calculate the surface area to volume ratio of a cube with 1 nm sides.**

**Answer:** Surface area =  $6 \times \text{side}^2 = 6 \times (1 \text{ nm})^2 = 6 \text{ nm}^2$ . Volume =  $\text{side}^3 = (1 \text{ nm})^3 = 1 \text{ nm}^3$ . Surface area to volume ratio =  $6/1 = 6:1$ . This high ratio shows that a large portion of the cube's structure is exposed on the surface, which increases its reactivity. As particles get smaller, this ratio becomes even higher, which is why nanoparticles are so effective.

**Q299. What is the standard form of a coarse particle with diameter  $2.5 \times 10^{-6}$  m?**

**Answer:** The standard form of a coarse particle with diameter  $2.5 \times 10^{-6}$  m is already correctly written. It means the particle has a size of 0.0000025 metres. This places it in the coarse particle range, also known as PM10, which includes particles with diameters between  $1 \times 10^{-5}$  m and  $2.5 \times 10^{-6}$  m. These are much larger than nanoparticles and behave differently.

**Q300. Why do nanoparticles show different colours than larger particles made of the same element?**

**Answer:** Nanoparticles can show different colours because their small size affects how they absorb and scatter light. The way light interacts with the electrons on the surface of nanoparticles can cause changes in colour depending on size, shape, and environment. This is known as the quantum size effect and is one reason why gold nanoparticles, for example, can appear red or purple instead of metallic yellow.

**Q301. What is a potential benefit of using nanoparticles in drug delivery systems?**

**Answer:** One benefit of using nanoparticles in drug delivery systems is that they can carry drugs directly to specific cells or tissues in the body. Their small size allows them to move through biological membranes and reach areas that larger particles cannot. This targeted delivery can make treatment more effective, reduce side effects, and lower the overall amount of medicine needed.

**Q302. Why might nanoparticles be more effective than bulk materials in some applications?**

**Answer:** Nanoparticles can be more effective than bulk materials because they have a much larger surface area to volume ratio, making them more reactive and efficient. This allows them to interact more with their surroundings, which is useful in catalysts, drug delivery, electronics, and sun creams. Their small size also means they can be used in places where larger materials would not fit or function as well.

**Q303. What property of nanoparticles makes them suitable for use in sun creams?**

**Answer:** Nanoparticles are suitable for sun creams because they are small enough to be transparent on the skin while still effectively blocking harmful ultraviolet (UV) rays. Materials like titanium dioxide or zinc oxide, when used as nanoparticles, provide protection from the sun without leaving a visible white layer on the skin, making the cream more appealing and comfortable to use.

**Q304. How could the small size of nanoparticles be helpful in electronics?**

**Answer:** The small size of nanoparticles makes them useful in electronics because they allow the creation of smaller, faster, and more efficient components, such as transistors and circuits. They can conduct electricity well and be arranged in tight spaces, which helps in developing compact and flexible electronic devices. Their unique electrical properties also improve performance at a tiny scale.

**Q305. Give one reason why nanoparticles are studied in medical research.**

**Answer:** Nanoparticles are studied in medical research because they offer new ways to detect, diagnose, and treat diseases. Their small size allows them to enter cells and tissues easily, and they can be engineered to carry drugs, target cancer cells, or deliver imaging agents. This makes them valuable tools for improving healthcare and developing more precise medical treatments.

**Q306. Why is it important to test nanoparticles before they are used in consumer products?**

**Answer:** It is important to test nanoparticles before use in consumer products because their small size and unique properties might lead to unknown health or environmental risks. Nanoparticles can enter the body or the ecosystem more easily than larger materials, and their long-term effects are not fully understood. Proper testing ensures they are safe for humans and nature before being widely used.

**Q307. Describe one possible risk of using nanoparticles in cosmetics.**

**Answer:** One risk of using nanoparticles in cosmetics is that they may penetrate the skin and enter the body, where they could accumulate in organs or tissues. Since their effects on human health are not fully known, there is concern they might cause irritation, allergic reactions, or long-term harm. This is why careful testing and regulation are needed before including them in cosmetic products.

**Q308. What makes nanoparticles useful as catalysts?**

**Answer:** Nanoparticles are useful as catalysts because they have a large surface area compared to their volume, allowing more reactant molecules to interact with their surface. This increases the speed and efficiency of chemical reactions. Also, their small size means only a small amount is needed to have a big effect, making them cost-effective and highly efficient in industrial processes.

**Q309. Why is it difficult to predict the long-term effects of nanoparticles?**

**Answer:** It is difficult to predict the long-term effects of nanoparticles because they interact with the body and environment in new ways that are not yet fully understood. Their tiny size allows them to enter cells, tissues, and ecosystems more easily than larger particles, and they may accumulate or react unexpectedly. Long-term studies are still ongoing, so there is uncertainty about their safety.

**Q310. How could nanoparticles help improve the delivery of medicine to target areas in the body?**

**Answer:** Nanoparticles can be designed to carry medicine directly to target areas such as cancer cells, reducing damage to healthy cells. Their small size allows them to pass through biological barriers and reach specific tissues more easily. This targeted delivery improves the effectiveness of treatment, reduces side effects, and may allow for lower doses of drugs to be used.

**Q311. Suggest one reason nanoparticles are useful in deodorants.**

**Answer:** Nanoparticles are useful in deodorants because some, like silver nanoparticles, have antibacterial properties. They can kill or prevent the growth of bacteria that cause body odour. Their small size also allows them to spread evenly and penetrate pores without being seen, making the deodorant more effective and longer-lasting without affecting appearance.

**Q312. Why might nanoparticles be harmful to the environment?**

**Answer:** Nanoparticles might be harmful to the environment because they can enter water, soil, and air, and their small size allows them to move through ecosystems easily. They might harm beneficial organisms, accumulate in the food chain, or disrupt natural processes. Since their effects on wildlife and nature are not fully known, there is concern about their uncontrolled release.

**Q313. What feature of nanoparticles allows them to penetrate biological membranes?**

**Answer:** The very small size of nanoparticles allows them to pass through biological membranes, such as cell walls or skin layers. This makes them useful for drug delivery and other medical applications, but it also raises safety concerns because they might enter the bloodstream, tissues, or organs and cause unknown effects if not properly controlled or tested.

**Q314. How could the high surface area to volume ratio of nanoparticles help in medical uses?**

**Answer:** The high surface area to volume ratio of nanoparticles allows them to carry more drug molecules on their surface, improving the delivery of medicine to specific cells or tissues. This makes treatments more effective with lower doses, reducing side effects. It also helps nanoparticles interact more efficiently with biological structures, such as targeting cancer cells.

**Q315. Why is there uncertainty about the safety of nanoparticles in some applications?**

**Answer:** There is uncertainty about the safety of nanoparticles because their small size gives them new properties that might affect the body or environment in ways we don't fully understand yet. Long-term studies on how they interact with cells, organs, and ecosystems are still ongoing. Until more data is available, scientists remain cautious about their widespread use.

**Q316. Describe how nanoparticles can improve the performance of electronic devices.**

**Answer:** Nanoparticles can improve the performance of electronic devices by making components

smaller, faster, and more energy-efficient. Materials like carbon nanotubes or graphene have excellent electrical conductivity and can be used in tiny circuits, transistors, or sensors. Their small size also allows for flexible or wearable electronics, helping advance modern technology.

**Q317. What type of research is needed before nanoparticles can be used widely in food packaging?**

**Answer:** Before nanoparticles can be used in food packaging, research is needed to study their safety, how they interact with food, whether they can migrate into the food, and their effects on human health. Scientists also need to examine how they break down in the environment and whether they are safe for long-term use. Regulatory approval depends on thorough testing of these areas.

**Q318. Explain why nanoparticles might be more reactive than larger particles.**

**Answer:** Nanoparticles might be more reactive than larger particles because a larger percentage of their atoms are on the surface. This high surface area allows more interaction with other substances, which speeds up chemical reactions. Their size can also change their electrical and optical behaviour, giving them unique properties not found in bulk materials.

**Q319. What is one ethical concern about using nanoparticles in consumer products?**

**Answer:** One ethical concern is that consumers might be exposed to nanoparticles without knowing the risks or even being aware that the product contains them. If safety testing is incomplete or not shared openly, it can lead to mistrust and potential health issues. Ethical use of nanoparticles requires clear labelling, safety testing, and informed choice for consumers.

**Q320. How might nanoparticles behave differently inside the human body compared to larger particles?**

**Answer:** Inside the body, nanoparticles can pass through membranes and enter cells more easily than larger particles. They might travel to organs or cross barriers like the blood-brain barrier, which bulk materials cannot. Their small size also means they may interact with proteins or DNA, which could cause effects that we don't yet fully understand, leading to possible health concerns.

**Q321. What kind of testing should be done to check the safety of nanoparticles in sunscreens?**

**Answer:** Safety testing for nanoparticles in sunscreens should include checking whether they can penetrate the skin, cause irritation or allergic reactions, and how they behave in sunlight. Long-term studies should look at whether they build up in the body and their environmental impact. Laboratory and clinical testing should be done before they are approved for widespread use.

**Q322. Suggest one reason why some scientists are cautious about using nanoparticles in the environment.**

**Answer:** Some scientists are cautious because nanoparticles might enter ecosystems and affect plants, animals, and microorganisms in ways we don't yet understand. They might be toxic to aquatic life or disrupt soil bacteria, which are important for healthy ecosystems. Since nanoparticles are hard to remove once released, their long-term effects could be harmful and unpredictable.

**Q323. What does it mean when we say nanoparticles have a large surface area to volume ratio?**

**Answer:** It means that compared to their size (volume), nanoparticles have a lot of exposed surface. This high surface area allows them to react more easily with other substances, which makes them more effective in many applications like drug delivery, catalysts, and electronics. The larger the surface area in relation to volume, the more interactions they can have.

**Q324. Why is surface area important when considering how effective a nanoparticle is?**

**Answer:** Surface area is important because most reactions or interactions happen on the surface of a material. Nanoparticles with a large surface area can carry more drug molecules, absorb more light, or speed up reactions more effectively than bulk materials. This is why they are used in things like catalysts, medical treatments, and sunscreens—it increases their efficiency.

**Q325. Give one reason why the public may be concerned about the use of nanoparticles in food.**

**Answer:** The public may be concerned because the long-term health effects of eating nanoparticles are still unknown. If nanoparticles get into the body through food, they might enter cells or organs and cause problems that haven't been discovered yet. Without clear testing and labelling, people worry about safety and whether they are being exposed without their knowledge.

**Q326. What benefit might nanoparticles provide in detecting diseases early?**

**Answer:** Nanoparticles can detect very small amounts of disease-related substances, such as proteins or DNA fragments, in the body. Their tiny size and large surface area allow them to bind to disease markers quickly and accurately. This makes it possible to identify diseases like cancer at an early stage, improving the chances of successful treatment and saving lives through faster diagnosis.

**Q327. Describe a situation where nanoparticles could be more harmful than helpful.**

**Answer:** Inhaling nanoparticles from sprays or powders used in cosmetics or industrial settings could allow them to enter the lungs and pass into the bloodstream. Since their effects on organs and tissues are not fully known, they might cause inflammation or accumulate in harmful ways. In such cases, the risks may outweigh the benefits if proper safety measures are not followed.

**Q328. Why is ongoing research into nanoparticle safety important?**

**Answer:** Nanoparticles behave differently from bulk materials, and their long-term effects on human health and the environment are not fully understood. Ongoing research helps scientists learn how they interact with cells, organs, and ecosystems. It also supports the development of safety guidelines and ensures new applications of nanoparticles are tested thoroughly before public use.

**Q329. How might the use of nanoparticles in cosmetics affect people with sensitive skin?**

**Answer:** Nanoparticles can penetrate deeper layers of the skin than traditional ingredients, which may lead to allergic reactions or irritation in people with sensitive skin. Their small size and reactivity might trigger inflammation or worsen existing skin conditions. This is why it's important for cosmetic products using nanoparticles to be carefully tested before being sold.

**Q330. Give one reason why smaller amounts of nanoparticles are needed in reactions compared to bulk materials.**

**Answer:** Nanoparticles have a large surface area relative to their volume, which means more of their particles are exposed and available to react. This increased reactivity allows a smaller quantity to have a large effect, making them efficient and cost-effective. In processes like catalysis, even a tiny amount of nanoparticles can speed up reactions significantly.

**Q331. Why is it important to understand how nanoparticles move through the body?**

**Answer:** Understanding how nanoparticles travel through the body helps scientists predict where they will go, how they interact with tissues, and whether they might build up in certain organs. This knowledge is essential for designing safe medical treatments and avoiding harmful effects. It also helps in developing ways to remove them from the body if needed.

**Q332. What could happen if nanoparticles enter water supplies?**

**Answer:** Nanoparticles entering water supplies could be harmful to aquatic organisms and might disrupt ecosystems. They could be toxic to fish, affect water quality, or accumulate in the food chain. If humans consume water contaminated with nanoparticles, it might pose health risks. Their small size makes them hard to filter, so preventing contamination is very important.

**Q333. Describe one advantage and one disadvantage of using nanoparticles in sun creams.**

**Answer:** One advantage is that nanoparticles like titanium dioxide or zinc oxide can block UV rays while remaining invisible on the skin, making sun creams more appealing. One disadvantage is that their small size might allow them to penetrate the skin, and their long-term effects on the body are still not fully understood, raising concerns about their safety.

**Q334. Why might manufacturers choose nanoparticles over traditional ingredients?**

**Answer:** Manufacturers may choose nanoparticles because they often perform better than traditional materials. For example, they can improve a product's appearance, make it more effective at lower doses, or add new functions like antibacterial properties. Their unique behaviours at a small scale can give companies a competitive edge in performance and innovation.

**Q335. How might the cost of producing nanoparticles affect their use in industry?**

**Answer:** If producing nanoparticles is expensive, it could limit their use to high-value products or industries like medicine and electronics. However, as production methods improve and costs fall, nanoparticles may become more common in everyday products. Cost plays a big role in determining whether a technology is affordable and practical for large-scale use.

**Q336. What makes nanoparticles potentially useful in targeted cancer treatments?**

**Answer:** Nanoparticles can be designed to attach specifically to cancer cells and deliver drugs directly to them, reducing harm to healthy cells. Their small size allows them to pass through barriers in the body and reach hard-to-access areas. This targeted delivery improves treatment effectiveness and lowers side effects compared to traditional chemotherapy.

**Q337. Why is public education important in the use of nanoparticle-based products?**

**Answer:** Public education helps people understand the benefits and risks of nanoparticle use,

allowing them to make informed choices. It builds trust in new technologies, reduces fear caused by misunderstanding, and encourages responsible use. Educating the public also pressures companies and governments to ensure safety standards are met and maintained.

**Q338. What role does government regulation play in the safe use of nanoparticles?**

**Answer:** Government regulation ensures that nanoparticles are tested thoroughly before being used in consumer products. Regulations help protect people and the environment by setting safety standards, requiring proper labelling, and monitoring long-term effects. Without regulation, unsafe or untested products could cause health problems or environmental damage.

**Q339. How can nanoparticles be used in antibacterial treatments?**

**Answer:** Some nanoparticles, such as silver nanoparticles, have natural antibacterial properties. They can kill or stop the growth of harmful bacteria by damaging their cell membranes or interfering with their functions. These nanoparticles are used in coatings for medical tools, wound dressings, or even clothing to reduce the spread of infections.

**Q340. Why might the use of nanoparticles raise questions about long-term health?**

**Answer:** Because nanoparticles can enter the body and interact with cells, tissues, and DNA, scientists are concerned about their possible long-term effects. They might build up in organs, cause inflammation, or trigger immune responses. Since they behave differently from larger particles, it's important to study them over time to ensure they are safe.

**Q341. Describe one way nanoparticles could improve environmental cleanup methods.**

**Answer:** Nanoparticles can be used to break down harmful chemicals in polluted water or soil. For example, iron nanoparticles can remove toxic substances by reacting with them directly. Their high reactivity and small size allow them to reach and clean areas that traditional methods cannot, making cleanup faster and more effective.

**Q342. Why is it important to balance benefits and risks when developing new nanoparticle applications?**

**Answer:** While nanoparticles offer many useful benefits, they may also pose unknown risks to health or the environment. Balancing these helps avoid harm and ensures that new products are both safe and effective. Scientists and companies must test materials thoroughly, monitor outcomes, and only use nanoparticles when the advantages clearly outweigh the possible dangers.

**Q343. How could nanoparticles affect air quality if released during manufacturing?**

**Answer:** If nanoparticles are released into the air during manufacturing, they could be inhaled by workers or nearby residents. This might lead to respiratory issues or other health problems. Their small size allows them to stay airborne longer and travel deeper into the lungs. Therefore, proper ventilation, safety equipment, and handling procedures are necessary.

**Q344. Give an example of how nanoparticles could reduce waste in industry.**

**Answer:** In catalysts, nanoparticles can speed up reactions more efficiently, meaning less material and energy are needed. This can reduce leftover waste products. For example, using nanoparticle

catalysts in chemical manufacturing can lead to cleaner processes with fewer by-products, helping industries save resources and reduce environmental impact.

**Q345. What kind of information should scientists share with the public about nanoparticles?**

**Answer:** Scientists should share what nanoparticles are, how they're used, their benefits, and any known risks. They should also explain how they test for safety and what is still being studied. This helps the public understand how decisions are made and why some products use nanoparticles. Clear communication builds trust and allows people to make informed choices.

**Q346. How does the use of nanoparticles in sport equipment relate to material strength?**

**Answer:** Nanoparticles can be added to materials like plastics or carbon fibre to make them stronger and lighter. This is useful in sports equipment like tennis rackets, helmets, or bikes, where high strength and low weight improve performance. The enhanced materials can absorb more impact, resist wear, and last longer than standard versions.

**Q347. Why is it important to know if nanoparticles can build up in body tissues?**

**Answer:** If nanoparticles accumulate in the body, they might cause harm over time, especially if they are toxic or interfere with how cells work. Knowing whether they build up helps scientists design safer materials and understand how to remove them from the body. It also helps in setting safe limits for exposure through food, cosmetics, or medicine.

**Q348. What is the role of peer-reviewed studies in understanding nanoparticle safety?**

**Answer:** Peer-reviewed studies are reviewed by other experts to check if the research is reliable and accurate. This process ensures that the findings on nanoparticle safety are based on good science and not misleading. These studies guide regulations, product development, and public safety decisions by providing trustworthy information.

**Q349. Describe one reason why nanoparticles may be more useful in research than in everyday products.**

**Answer:** In research, scientists can control how nanoparticles are used and monitored very closely, reducing risks. They can also study rare or complex effects without the pressure of mass production. But everyday products are used by many people in uncontrolled environments, so the safety standards must be much higher to avoid unintended exposure or harm.

**Q350. What does it mean to evaluate the use of nanoparticles for a specific purpose?**

**Answer:** To evaluate the use of nanoparticles means to weigh their benefits, like improved performance or efficiency, against their potential risks, such as health or environmental issues. It involves looking at safety data, effectiveness, cost, and long-term impact. This helps decide whether using nanoparticles is the best and safest option for that purpose.

GRADEUP