



---

**GCSE**  
**BIOLOGY**  
**8461/1H**

Paper 1 Higher Tier

---

Mark scheme

June 2023

---

Version: 1.0 Final

GRADE UP



2 3 6 G 8 4 6 1 1 H / M S

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from [aqa.org.uk](http://aqa.org.uk)

GRADE UP

#### **Copyright information**

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2023 AQA and its licensors. All rights reserved.

## Information to Examiners

### 1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the examiner make their judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent (for example, a scientifically correct answer that could not reasonably be expected from a student's knowledge of the specification).

### 2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**.  
Alternative words in the mark scheme are shown by a solidus eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

### 3. Marking points

#### 3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as \* in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name **two** magnetic materials.

[2 marks]

Student	Response	Marks awarded
1	iron, steel, tin	1
2	cobalt, nickel, nail*	2

#### 3.2 Use of symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, or uses symbols to denote quantities in a physics equation, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

#### 3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. At any point in a calculation students may omit steps from their working. If a subsequent step is given correctly, the relevant marks may be awarded.

Full marks are **not** awarded for a correct final answer from incorrect working.

#### 3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

### 3.5 Errors carried forward

An error can be carried forward from one question part to the next and is shown by the abbreviation 'ecf'.

Within an individual question part, an incorrect value in one step of a calculation does not prevent all of the subsequent marks being awarded.

### 3.6 Phonetic spelling

Marks should be awarded if spelling is not correct but the intention is clear, **unless** there is a possible confusion with another technical term.

### 3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

### 3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

### 3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

### 3.10 Do **not** accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

### 3.11 Numbered answer lines

Numbered lines on the question paper are intended to support the student to give the correct number of responses. The answer should still be marked as a whole.

## 4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and, if necessary, annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

**Step 1: Determine a level**

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level.

The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

**Step 2: Determine a mark**

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do not have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

## Question 1

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.1	a group of the same / similar cells  or a group of cells with a (similar / specific) function	ignore a group of cells unqualified  ignore examples of tissue functions	1	AO1 4.2.1

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.2	meristem (tissue)		1	AO1 4.1.1.4 4.1.2.3 4.2.3.1

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.3	willow	ignore named parts of willow	1	AO1 4.3.1.9

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.4	any <b>one</b> from: <ul style="list-style-type: none"> <li>• (berries are) easy to access / pick</li> <li>• easier to extract chemical</li> <li>• taking berries will not harm the plant</li> </ul>	ignore berries are not underground  allow taking leaves / roots might damage / kill the plant (so it cannot produce more chemical)  allow idea that the lower mass / amount (of chemical) will be less toxic / harmful  allow greater mass of berries than of leaves / roots	1	AO3 4.2.3.1

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.5	(0.6 × 1.2 =) 0.72	allow conversion to mg at any point in calculation	1	AO2 4.3.3.1
	(0.72 × 2 =) 1.44		1	
	1.44 × 1000	allow conversion of a correct mass calculated for berries / roots	1	
	1440 (mg)	allow a correct answer using an incorrect conversion factor of a multiple of 10	1	
	<b>alternative route</b> (2 × 1.2 =) 2.4 (1) (2.4 × 0.6 =) 1.44 (1) 1.44 × 1000 (1) 1440 (mg) (1)			

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.6	any <b>one</b> from: <ul style="list-style-type: none"> <li>• lack of chlorophyll</li> <li>• lack of magnesium (ions)</li> </ul>	allow lack of chloroplasts  allow lack of mineral (ions) <b>or</b> named example such as iron / nitrate / potassium / zinc (ions)  ignore lack of nutrients / nitrogen  allow lack of water  allow incorrect pH of soil  allow acidic / alkaline soil  allow (named) infection  allow lack of light  allow other correct suggestions	1	AO1 4.3.3.1 4.3.1.2 4.3.1.4

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.7	any <b>two</b> from: <ul style="list-style-type: none"> <li>• to check toxicity</li> <li>• to check dosage</li> <li>• to check its efficacy</li> </ul>	allow to check it is safe allow to check for side effects allow to check it is not poisonous / dangerous / harmful allow to check how much is needed allow to check it works allow to check it does not interact with other drugs	2	AO1 4.3.1.9

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.8	(writers / companies may get) financial gain or (competitor may suffer) financial loss	ignore because the report has not been peer reviewed ignore have not used a double-blind trial	1	AO3 4.3.1.9

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.9	have the claims peer reviewed		1	AO1 4.3.1.9

<b>Total Question 1</b>	<b>13</b>
-------------------------	-----------

**Question 2**

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.1	A		1	AO1 4.2.2.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.2	C		1	AO1 4.2.2.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.3	right atrium		1	AO1 4.2.2.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.4	<p>any <b>two</b> from:</p> <ul style="list-style-type: none"> <li>• (artery) has a <b>thicker</b> muscle (tissue)</li> <li>• (artery) has a <b>thicker</b> elastic (tissue)</li> <li>• (artery) has a <b>narrower</b> lumen</li> <li>• (artery) does not contain valves</li> </ul>	<p>allow converse if clearly referring to a vein</p> <p>} if neither mark awarded allow <b>1</b> mark for artery has a <b>thicker</b> wall</p> <p>allow description of lumen</p>	2	AO1 4.2.2.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.5	as the percentage of the (coronary) artery that is blocked increases, blood flow decreases	allow converse allow the greater the blockage, the less blood flows allow negative correlation <b>or</b> inversely proportional allow as one increases, the other decreases	1	AO2 4.2.2.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.6	scale on y-axis	must take up at least 50% of axis	1	AO2 4.2.2.2
	all points plotted	allow 3 or 4 correct plots for 1 mark allow a tolerance of $\pm \frac{1}{2}$ small square	2	
	correct curved line of best fit	ignore line joined point to point with straight lines ignore extrapolation	1	

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.7	correct answer from student's line in <b>Figure 3</b>	allow a tolerance of $\pm \frac{1}{2}$ small square if no line drawn on <b>Figure 3</b> , allow a value from 18 to 24 (cm <sup>3</sup> /minute)	1	AO3 4.2.2.2

Question	Answers	Mark	AO / Spec Ref.
02.8	<b>Level 3:</b> Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account.	5-6	AO1 AO2
	<b>Level 2:</b> Relevant points (reasons / causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3-4	4.2.2.2 4.2.2.4 4.4.2.1 4.4.2.2
	<b>Level 1:</b> Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1-2	
	<b>No relevant content.</b>	0	
	<p><b>Indicative content:</b></p> <ul style="list-style-type: none"> <li>• reduced blood flow to heart (muscle / tissue / cells)</li> <li>• (so) less oxygen to heart (muscle / tissue / cells)</li> <li>• (so) less glucose to heart (muscle / tissue / cells)</li> <li>• (so) less (aerobic) respiration (in heart / body cells)</li> <li>• (more) anaerobic respiration</li> <li>• (so) less energy (released)</li> <li>• (so) less muscle contraction</li> <li>• (so) less blood / oxygen / glucose around the body (from heart) <b>or</b> slower flow of blood / oxygen / glucose to body (from heart)</li> <li>• less carbon dioxide removed from body (muscle / tissue / cells)</li> <li>• (resulting in) breathlessness</li> <li>• (resulting in) tiredness</li> <li>• (anaerobic respiration causes) production of lactic acid</li> <li>• (build-up of lactic acid) causes muscle fatigue / pain <b>or</b> chest pain</li> </ul> <p>For <b>Level 3</b>, students must explain the effect of reduced oxygen / glucose on respiration <b>or</b> energy release and its consequence</p>		

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.9	any <b>one</b> pair from: <ul style="list-style-type: none"> <li>• (insert) stent(s) (to) open (coronary) artery</li> <li>• (prescribe) statins (1) (to) reduce (blood) cholesterol (1)</li> <li>• heart (and lung) transplant (1) (to) replace the diseased heart with a healthy heart (1)</li> <li>• use an artificial heart (1) (to) keep the patient alive while waiting for a transplant (1)</li> <li>• (artery / heart) bypass (1) (to) divert blood around the blockage (1)</li> </ul>	mark as a pair  allow description  ignore unblock (coronary) artery  allow to slow down the rate of fatty material deposit  allow (artificial heart) pumps blood around the body in place of the heart  allow description	1  1	AO1 4.2.2.4

<b>Total Question 2</b>	<b>19</b>
-------------------------	-----------

## Question 3

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.1	(bacteria) release / produce toxins	allow (bacteria) release / produce poisons ignore toxins unqualified	1	AO1 4.3.1.3 4.3.1.1

Question	Answers	Mark	AO / Spec Ref.
03.2	<b>Level 2:</b> Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account.	3-4	AO2
	<b>Level 1:</b> Relevant points (reasons / causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	1-2	AO1
	<b>No relevant content</b>	0	4.3.1.3 4.3.1.7
	<p><b>Indicative content:</b></p> <p><i>Vaccination of animal</i></p> <ul style="list-style-type: none"> <li>(animal's) white blood cells / lymphocytes produce antibodies (against <i>Salmonella</i> / vaccine / antigens)</li> <li>antibodies are specific / complementary / correct to <i>Salmonella</i> / antigens</li> <li>(specific) antibodies bind to <i>Salmonella</i> / antigens</li> </ul> <p><i>Secondary response in animal</i></p> <ul style="list-style-type: none"> <li>if infected (specific) antibodies are produced quickly <b>or</b> in large numbers</li> <li>(so) white blood cells <b>or</b> antibodies would kill (live) <i>Salmonella</i></li> <li>(so) fewer / no bacteria / pathogens / <i>Salmonella</i> in animals <b>or</b> in animal products (meat / milk / eggs)</li> </ul> <p><i>Prevention of food poisoning in humans</i></p> <ul style="list-style-type: none"> <li>(so) fewer / no bacteria / pathogens / <i>Salmonella</i> eaten <b>or</b> in (named) food</li> <li>(so) number of bacteria never reaches a high enough level for infection to develop</li> <li>(so) fewer toxins produced (in humans).</li> </ul> <p>For <b>Level 2</b> students must link immune response in animals to prevention of an outbreak in humans.</p>		

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.3	<p>any <b>two</b> from:</p> <ul style="list-style-type: none"> <li>• disinfect hands / work surface</li> <li>• sterilise Petri dish <b>or</b> culture medium (before use)</li> <li>• pass inoculating loop / forceps through a flame (before use)</li> <li>• work near a flame <b>or</b> work in a fume cupboard</li> <li>• tilt lid (of Petri dish) when placing discs on agar (to minimise contact with air / breath)</li> <li>• secure lid of Petri dish with adhesive tape</li> </ul>	<p>allow alternative descriptions of sterilising equipment such as UV light</p> <p>ignore clean / wash surfaces / hands / equipment</p> <p>allow sterilise agar (before use)</p> <p>ignore sterilise equipment</p> <p>allow example of other method to minimise contact with air / breath</p> <p>ignore store dish upside-down</p>	2	AO1 4.1.1.6 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.4	<p>(37 °C)</p> <p>37 °C is human / body temperature</p> <p><i>Salmonella</i> / bacteria grows best / better at 37 °C</p> <p>(25 °C)</p> <p>25 °C reduces / prevents the growth of bacteria that are harmful to humans / students</p>	<p>allow (so) bacteria grow best / better at human body temperature</p> <p>allow because it is too low for growth of human pathogens</p>	<p>1</p> <p>1</p> <p>1</p>	AO2 4.1.1.6 4.3.1.3 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.5	(acts as a) control	<p>allow for comparison</p> <p>allow to show that the results are not due to the paper disc</p> <p>allow to show that the results are due to the antibiotic</p> <p>ignore to show the effect / effectiveness of the antibiotic</p> <p>do <b>not</b> accept as a control variable</p>	1	AO2 4.1.1.6 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.6	(they) killed the most bacteria	<p>allow prevented most bacteria growing / replicating</p> <p>allow largest zone of inhibition (of bacteria)</p> <p>ignore largest clear area unqualified</p> <p>ignore antibiotic <b>B</b> killed the most bacteria</p>	1	AO2 4.1.1.6 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.7	<p>measure the diameter / radius of each clear area</p> <p><b>or</b></p> <p>calculate / measure the area of each clear area</p>	<p>allow measure the diameter / radius of each region where the bacteria are killed</p> <p>allow calculate the area of each region where the bacteria are killed</p>	1	AO3 4.1.1.6 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.8	bacteria must be <u>resistant</u> (to antibiotic <b>B</b> )	do <b>not</b> accept bacteria must be immune	1	AO3 4.3.1.8

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.9	water enters the (bacterial) cell (water enters) by osmosis	allow (water enters) by diffusion through a partially / selectively / semi permeable membrane  do <b>not</b> accept if description of concentrations is incorrect	1	AO2 4.3.1.8 4.1.3.2 4.1.1.1
			1	
	(so) damaged / incomplete / no cell wall cannot withstand pressure (of water)	allow (so remaining) cell membrane cannot stretch further	1	

<b>Total Question 3</b>	<b>17</b>
-------------------------	-----------

GRADEUP

## Question 4

Question	Answers	Extra information	Mark	AO / Spec Ref.
04.1	<p>any <b>two</b> from:</p> <ul style="list-style-type: none"> <li>• <i>(effect)</i> muscle fatigue <b>or</b> oxygen debt occurs (1)</li> </ul> <p><i>(reason)</i> caused by (build-up of) lactic acid (1)</p> <ul style="list-style-type: none"> <li>• <i>(effect)</i> (continued) heavy / deep / fast breathing (1)</li> </ul> <p><i>(reason)</i> to provide the oxygen needed to break down (built-up) lactic acid (1)</p> <ul style="list-style-type: none"> <li>• <i>(effect)</i> (continued) increased heart rate (1)</li> </ul> <p><i>(reason)</i> to provide the oxygen needed to break down (built-up) lactic acid (1)</p> <ul style="list-style-type: none"> <li>• <i>(effect)</i> fewer / weaker muscle <u>contractions</u> (1)</li> </ul> <p><i>(reason)</i> (because) less energy is released / available (1)</p>	<p>mark as pairs</p> <p>allow muscle cramp</p> <p>ignore fatigue / cramp</p> <p>unqualified</p> <p>allow to repay the oxygen debt</p> <p>allow to repay the oxygen debt</p> <p>do <b>not</b> accept energy being produced / made / created</p>	4	AO1 4.4.2.1 4.4.2.2

Question	Answers	Mark	AO / Spec Ref.
04.2	<b>Level 3:</b> The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	5-6	AO3 4.4.2.2
	<b>Level 2:</b> The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3-4	
	<b>Level 1:</b> The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1-2	
	No relevant content.	0	
	<b>Indicative content</b> <ul style="list-style-type: none"> <li>• test a group of athletes</li> <li>• use at least two different types / intensities of exercise</li> <li>• get each athlete to do all exercises <b>or</b> have a large (<math>\geq 30</math>) group doing each exercise</li>   <li>• record heart rate for each athlete before and after exercise <b>or</b> calculate increase in heart rate for each athlete after exercise</li> <li>• calculate the mean increase in heart rates for each type / intensity of exercise</li> <li>• compare mean increase in heart rates for each type / intensity of exercise</li>   <li>• control variables:                             <ul style="list-style-type: none"> <li>○ same (biological) sex <b>or</b> mix of sexes</li> <li>○ same level of activity / exercise</li> <li>○ same age</li> <li>○ same caffeine / drug / medicine intake</li> <li>○ same length of time for exercise</li> <li>○ no health issues / illnesses</li> <li>○ return to resting heart rate before each exercise</li> </ul> </li> </ul>		

Question	Answers	Extra information	Mark	AO / Spec Ref.
04.3	(athlete is) faster / stronger	allow description of improved performance	1	AO2 4.4.2.1 4.4.2.2
	(because more muscle mass so) more / stronger muscle <u>contractions</u>	allow reference to increased stamina / endurance	1	

Question	Answers	Extra information	Mark	AO / Spec Ref.
04.4	hybridoma		1	AO1 4.3.2.1

Question	Answers	Extra information	Mark	AO / Spec Ref.
04.5	any <b>three</b> from: <ul style="list-style-type: none"> <li>• (cell) is <u>cloned</u></li> <li>• many (identical) cells are produced</li> <li>• all the cells make the same antibody</li> <li>• the antibody is (collected and) purified</li> </ul>	ignore name of cell  allow many clones are produced	3	AO1 4.3.2.1

Question	Answers	Extra information	Mark	AO / Spec Ref.
04.6	a monoclonal antibody only binds to the anabolic steroid		1	AO2 4.3.2.1

Question	Answers	Extra information	Mark	AO / Spec Ref.
04.7	to show that the test is working	allow to prevent a false negative (result)  ignore to show there are free / remaining monoclonal antibodies	1	AO3 4.3.2.1 4.3.2.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
<b>04.8</b>	<i>evidence</i> no blue / visible dye (in control area)	allow no line(s) (in control area) allow no colour change (in control area)	1	AO3 4.3.2.1 4.3.2.2
	<i>reason</i> (because) no (free) monoclonal antibodies bound to control area  <b>or</b>  (because) there were no (free) monoclonal antibodies on the end of the (test) strip	allow the (free) monoclonal antibodies did not move up the test strip  allow urine did not move up the test strip	1	

Question	Answers	Extra information	Mark	AO / Spec Ref.
<b>04.9</b>	D		1	AO3 4.3.2.1 4.3.2.2

<b>Total Question 4</b>	<b>21</b>
-------------------------	-----------

Question 5

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.1	vector		1	AO1 4.3.1.5

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.2	<p>any <b>three</b> from:</p> <ul style="list-style-type: none"> <li>• protist / it has mitochondria</li> <li>• protist / it has (a) nucleus <b>or</b> protist DNA / genetic material is not free in the cytoplasm</li> <li>• protist / it does not have a single loop of DNA / genetic material</li> <li>• protist / it does not have <u>plasmids</u></li> <li>• protist / it does not have a cell wall</li> </ul>	<p>allow converse for prokaryotic cells</p> <p>allow eukaryotic for protist</p> <p>if neither mark awarded, allow <b>1</b> mark for protist has membrane-bound structures ignore genetic information</p> <p>ignore genetic information</p> <p>do <b>not</b> accept eukaryotic cell does not have a cell wall</p> <p>allow protist / it does not have a slime capsule</p> <p>ignore cilia / flagellae / ribosomes</p> <p>ignore size / shape</p>	3	AO2 4.1.1.1 4.3.1.5

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.3	less oxygen carried (in blood)	allow less oxygen carried (to cells) ignore reference to number of red blood cells unqualified do <b>not</b> accept no oxygen carried	1	AO2 4.4.2.3 4.4.2.1 4.2.2.3
	less energy released from <u>respiration</u>	do <b>not</b> accept energy produced / made / created	1	

Question	Answers	Mark	AO / Spec Ref.															
05.4	any <b>three</b> pairs from:	<table border="1"> <thead> <tr> <th>Sexual reproduction</th> <th>Asexual reproduction</th> </tr> </thead> <tbody> <tr> <td>involves two parents</td> <td>involves one parent</td> </tr> <tr> <td>involves gametes joining / fusing <b>or</b> involves fertilisation</td> <td>involves no (fusion of) gametes <b>or</b> does not involve fertilisation</td> </tr> <tr> <td>there is mixing of genetic material / information <b>or</b> there is genetic variation <b>or</b> offspring are genetically different</td> <td>there is no mixing of genetic material / information <b>or</b> there is no genetic variation <b>or</b> offspring are genetically identical ignore reference to clones</td> </tr> <tr> <td>involves (only) meiosis</td> <td>involves mitosis <b>or</b> does not involve meiosis</td> </tr> <tr> <td>more energy required</td> <td>less energy required</td> </tr> <tr> <td>slower</td> <td>faster</td> </tr> </tbody> </table>	Sexual reproduction	Asexual reproduction	involves two parents	involves one parent	involves gametes joining / fusing <b>or</b> involves fertilisation	involves no (fusion of) gametes <b>or</b> does not involve fertilisation	there is mixing of genetic material / information <b>or</b> there is genetic variation <b>or</b> offspring are genetically different	there is no mixing of genetic material / information <b>or</b> there is no genetic variation <b>or</b> offspring are genetically identical ignore reference to clones	involves (only) meiosis	involves mitosis <b>or</b> does not involve meiosis	more energy required	less energy required	slower	faster	3	AO1 4.6.1.1 4.1.2.2
	Sexual reproduction		Asexual reproduction															
	involves two parents		involves one parent															
	involves gametes joining / fusing <b>or</b> involves fertilisation		involves no (fusion of) gametes <b>or</b> does not involve fertilisation															
	there is mixing of genetic material / information <b>or</b> there is genetic variation <b>or</b> offspring are genetically different		there is no mixing of genetic material / information <b>or</b> there is no genetic variation <b>or</b> offspring are genetically identical ignore reference to clones															
	involves (only) meiosis		involves mitosis <b>or</b> does not involve meiosis															
	more energy required		less energy required															
	slower		faster															
	if no other mark awarded allow <b>1</b> mark for asexual reproduction produces many offspring																	
	pairs of answers can be in any order																	

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.5	(no bases so) <u>DNA</u> replication cannot occur	allow copying / duplicating / doubling for replication  ignore cannot make DNA unqualified	1	AO2 4.1.2.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.6	(after DNA replication) one set of chromosomes is pulled to each end of the cell  nucleus <u>divides</u>  cytoplasm <b>or</b> cell membrane divides to form two cells	allow one (member) of each pair of chromosomes is pulled to each end of the cell	1	AO1 4.1.2.2
		ignore (half the) chromosomes are pulled to each end of the cell		
		allow two (new) nuclei form	1	
		allow cytokinesis	1	

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.7	having disorder <b>S</b> reduces incidence / percentage of malaria  as age increases a lower percentage of children with disorder <b>S</b> get malaria until age 10, then the percentage increases	allow having disorder <b>S</b> reduces chance of getting malaria  allow having disorder <b>S</b> protects against malaria	1	AO3 4.2.2.5 4.3.1.5
		allow protection against malaria increases with (increasing) age until age 10, then it decreases	1	

<b>Total Question 5</b>	<b>15</b>
-------------------------	-----------

## Question 6

Question	Answers	Extra information	Mark	AO / Spec Ref.
06.1	(lhs) $H_2O + CO_2$ and (rhs) $O_2$	in either order	1	AO1 4.4.1.1

Question	Answers	Extra information	Mark	AO / Spec Ref.
06.2	from 0 to 5 000 lux		1	AO3 4.4.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
06.3	any <b>one</b> from: <ul style="list-style-type: none"> <li>• use (different) coloured bulb(s) / LED(s)</li> <li>• use (different) coloured filter(s) in front of lamp</li> <li>• put (different) coloured transparent material(s) over lamp / beaker</li> </ul>	allow named transparent material(s)	1	AO2 4.4.1.2 RPA6

Question	Answers	Extra information	Mark	AO / Spec Ref.
06.4	<i>independent</i> colour of light	allow wavelength of light ignore colour of filter / bulb / lamp	1	AO2 4.4.1.1 4.4.1.2 RPA6
	<i>dependent</i> time (taken for 10 leaf discs to reach the surface of the solution)		1	

Question	Answers	Extra information	Mark	AO / Spec Ref.
<b>06.5</b>	any <b>one</b> from: <ul style="list-style-type: none"> <li>so that discs would sink (to the bottom of the beaker)</li> <li>so any gas (that makes the discs rise) is from photosynthesis</li> <li>air is a gas so any left in discs would add to the oxygen produced by photosynthesis</li> </ul>	allow leaf for disc throughout allow so the discs do not float  ignore reference to carbon dioxide  allow as a <u>control variable</u>	1	AO2 4.4.1.1 4.4.1.2 RPA6

Question	Answers	Extra information	Mark	AO / Spec Ref.
<b>06.6</b>	(sodium hydrogencarbonate) provides / releases carbon dioxide  (carbon dioxide is used) for photosynthesis	ignore (sodium hydrogencarbonate) contains carbon dioxide ignore provides water	1   1	AO2 4.4.1.1 4.4.1.2 RPA6

Question	Answers	Extra information	Mark	AO / Spec Ref.
<b>06.7</b>	oxygen was produced in photosynthesis  oxygen / gas is trapped in / around disc / leaf	allow bubbles are trapped in / around the disc / leaf  allow oxygen / gas (makes leaf discs) less dense than solution / water  allow the oxygen / gas under the disc / leaf pushes the disc / leaf up	1  1	AO1  AO2 4.4.1.1 4.4.1.2 RPA6

Question	Answers	Extra information	Mark	AO / Spec Ref.
06.8	to absorb / use many / more colours / wavelengths of light	allow to increase the rate of photosynthesis ignore to absorb as much light as possible do <b>not</b> accept to absorb all colours / wavelengths of light	1	AO2 4.4.1.1 4.4.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
06.9	chlorophyll absorbs most <b>or</b> a lot of blue light	if neither mark awarded allow <b>1</b> mark for chlorophyll absorbs more blue light (than green light)	1	AO3
	chlorophyll absorbs least <b>or</b> very little <b>or</b> not much green light		1	AO3
	(so) discs in blue light took the least time to rise (to surface) because they photosynthesised faster / more <b>or</b> (so) discs in green light took the most time to rise (to surface) because they photosynthesised slower / less	allow chlorophyll reflects most of the green light	1	AO2
	use of data (from <b>Figure 10</b> and <b>Table 6</b> ) eg approximately 80% of blue light absorbed		1	AO2 4.4.1.1 4.4.1.2

<b>Total Question 6</b>	<b>15</b>
-------------------------	-----------