



GCSE MATHEMATICS 8300/2F

Foundation Tier Paper 2 Calculator

Mark scheme

June 2024

Version 1.0 Final

GRADEUP.UK



2 4 6 G 8 3 0 0 / 2 F / M S

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

No student should be disadvantaged on the basis of their gender identity and/or how they refer to the gender identity of others in their exam responses.

A consistent use of 'they/them' as a singular and pronouns beyond 'she/her' or 'he/him' will be credited in exam responses in line with existing mark scheme criteria.

Further copies of this mark scheme are available from aqa.org.uk

GRADEUP.UK

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2024 AQA and its licensors. All rights reserved.

Glossary for Mark Schemes

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

If a student uses a method which is not explicitly covered by the mark scheme the same principles of marking should be applied. Credit should be given to any valid methods. Examiners should seek advice from their senior examiner if in any doubt.

M	Method marks are awarded for a correct method which could lead to a correct answer.
A	Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied.
B	Marks awarded independent of method.
ft	Follow through marks. Marks awarded for correct working following a mistake in an earlier step.
SC	Special case. Marks awarded for a common misinterpretation which has some mathematical worth.
M dep	A method mark dependent on a previous method mark being awarded.
B dep	A mark that can only be awarded if a previous independent mark has been awarded.
oe	Or equivalent. Accept answers that are equivalent. eg accept 0.5 as well as $\frac{1}{2}$
[a, b]	Accept values between a and b inclusive.
[a, b)	Accept values $a \leq \text{value} < b$
3.14 ...	Accept answers which begin 3.14 eg 3.14, 3.142, 3.1416
Use of brackets	It is not necessary to see the bracketed work to award the marks.

Examiners should consistently apply the following principles.

Diagrams

Diagrams that have working on them should be treated like normal responses. If a diagram has been written on but the correct response is within the answer space, the work within the answer space should be marked. Working on diagrams that contradicts work within the answer space is not to be considered as choice but as working, and is not, therefore, penalised.

Responses which appear to come from incorrect methods

Whenever there is doubt as to whether a student has used an incorrect method to obtain an answer, as a general principle, the benefit of doubt must be given to the student. In cases where there is no doubt that the answer has come from incorrect working then the student should be penalised.

Questions which ask students to show working

Instructions on marking will be given but usually marks are not awarded to students who show no working.

Questions which do not ask students to show working

As a general principle, a correct response is awarded full marks.

Misread or miscopy

Students often copy values from a question incorrectly. If the examiner thinks that the student has made a genuine misread, then only the accuracy marks (A or B marks), up to a maximum of 2 marks are penalised. The method marks can still be awarded.

Further work

Once the correct answer has been seen, further working may be ignored unless it goes on to contradict the correct answer.

Choice

When a choice of answers and/or methods is given, mark each attempt. If both methods are valid then M marks can be awarded but any incorrect answer or method would result in marks being lost.

Work not replaced

Erased or crossed out work that is still legible should be marked.

Work replaced

Erased or crossed out work that has been replaced is not awarded marks.

Premature approximation

Rounding off too early can lead to inaccuracy in the final answer. This should be penalised by 1 mark unless instructed otherwise.

Continental notation

Accept a comma used instead of a decimal point (for example, in measurements or currency), provided that it is clear to the examiner that the student intended it to be a decimal point.

Q	Answer	Mark	Comments
1(a)	$\frac{27}{100}$	B1	
	Additional Guidance		
	Ignore attempt to simplify after correct answer seen		

Q	Answer	Mark	Comments
1(b)	0.4	B1	oe decimal eg 0.40
	Additional Guidance		
	.4		B1

Q	Answer	Mark	Comments
1(c)	35	B1	

Q	Answer	Mark	Comments
2(a)	$5x$	B1	
	Additional Guidance		
	$5 \times x$ or $x \times 5$ or $x5$		B0

Q	Answer	Mark	Comments
2(b)	$10w$	B1	
	Additional Guidance		
	$10 \times w$ or $w \times 10$ or $w10$		B0

Q	Answer	Mark	Comments
2(c)	2	B1	
	Additional Guidance		
	$\frac{2}{1}$ or $2 \div 1$		B0

Q	Answer	Mark	Comments
2(d)	y^3	B1	
	Additional Guidance		
	$y^2 \times y$ or $y \times y^2$		B0

Q	Answer	Mark	Comments
3(a)	c	B1	

Q	Answer	Mark	Comments
3(b)	a or d	B1	accept a and d

Q	Answer	Mark	Comments
3(c)	0	B1	oe
	Additional Guidance		
	Accept none, zero, nought etc		

Q	Answer	Mark	Comments
4(a)	9.03	B1	
	Additional Guidance		
	9.03p		B1
	903p on the answer line		B1
	903 on the answer line with £ not crossed out		B0

Q	Answer	Mark	Comments
4(b)	2.56	B1	
	Additional Guidance		
	2.56p		B1
	256p on the answer line		B1
	256 on the answer line with £ not crossed out		B0

Q	Answer	Mark	Comments
5(a)	5×20 or 100 or 2×20 or 40 or $5 - 2$ or 3 or 5×4 or 20 and 2×4 or 8 and $20 - 8$ or 12	M1	oe eg $20 + 20 + 20$ eg $20 + 20 + 20 + 20 + 20$ may be by the diagram
	60	A1	
	Additional Guidance		
	Answer 60b BOD 60 bottles		M1A1
	Further work eg $60 + 30 = 90$		M1A0

Q	Answer	Mark	Comments
5(b)	Alternative method 1		
	$6\frac{1}{4} \times 20$ or 125	M1	oe eg $6 \times 20 + \frac{1}{4} \times 20$ or $120 + 5$ may be by the diagram
	their $125 \times 17.5(0)$	M1	oe
	2187.5(0)	A1	
	Alternative method 2		
	$6\frac{1}{4} \times 17.5(0)$ or 109.375 or 109.37 or 109.38	M1	oe eg $6 \times 17.5(0) + \frac{1}{4} \times 17.5(0)$ or $105 + 4.375$
	their 109.375×20	M1	oe
	2187.5(0)	A1	
	Alternative method 3		
	$20 \times 17.5(0)$ or 350	M1	oe
	their $350 \times 6\frac{1}{4}$	M1	oe eg their $350 \times 6 + \frac{1}{4} \times$ their 350 or $2100 + 87.5(0)$
	2187.5(0)	A1	
	Additional Guidance		
	2187.50p		M1M1A1
	Alt 1 $6 \times 20 = 120$ $120 \times 17.5(0)$		M0 M1A0
	Alt 2 $6 \times 17.5(0) = 105$ 105×20		M0 M1A0

Q	Answer	Mark	Comments
6(a)	<i>DC</i> or <i>CD</i>	B1	
	Additional Guidance		
	CDE		B0
	C : D		B0

Q	Answer	Mark	Comments
6(b)	Rectangle drawn with an area of 10	B2	any orientation B1 10 seen or any polygon drawn different from the given shape with an area of 10
	Additional Guidance		
	B1 may be awarded for correct work with no shape or incorrect shape, even if this is seen amongst multiple shapes		
	Mark intention		
	10 may be seen on the diagram		
	Draws the given shape reflected or in a different orientation		B0

Q	Answer	Mark	Comments
7	Alternative method 1: one side measured		
	7.4 (cm) or 74 (mm) or 2.9 (inches)	B1	± 2 mm allow [2.8, 3)
	their 7.4×3 or their 74×3 or their 2.9×3 or [21.6, 22.8] or [216, 228] or [8.4, 9)	M1	oe their 7.4 must be [7, 8] their 74 must be [70, 80] their 2.9 must be [2.6, 3.2]
	[21.6, 22.8] cm or [216, 228] mm or [8.4, 9) inches	A1ft	ft their 7.4 or their 2.9 with B0M1 awarded
	Alternative method 2: more than one side measured		
	Each side measured as 7.4 (cm) or 74 (mm) or 2.9 (inches)	B1	± 2 mm allow [2.8, 3)
	their $7.4 +$ their $7.4 +$ their 7.4 or their $74 +$ their $74 +$ their 74 or their $2.9 +$ their $2.9 +$ their 2.9 or [21.6, 22.8] or [216, 228] or [8.4, 9)	M1	oe their 7.4 must be [7, 8] their 74 must be [70, 80] their 2.9 must be [2.6, 3.2]
	[21.6, 22.8] cm or [216, 228] mm or [8.4, 9) inches	A1ft	ft their 7.4 or their 2.9 with B0M1 awarded

Additional guidance is on next page

Additional Guidance		
7 cont'd	<p>In alternative method 2 the sides do not have to be equal</p> <p>eg 7.5, 7.5, 7.6 = 22.6</p> <p>Cannot access the A mark as there are no units.</p>	<p>B1 M1A0ft</p>
	<p>eg sides measured as 7.6, 7.6, 7.7</p> <p>$7.6 + 7.6 + 7.7$ = 22.9 cm</p> <p>Cannot gain the B mark as 7.7 is out of range</p>	<p>B0 M1 A1ft</p>
	<p>eg 75, 80, 80 answer 235 mm</p> <p>80 is out of range for the B mark but in range for the M mark. Method mark implied by correct answer for their values</p>	<p>B0 M1A1ft</p>
	<p>Further work after the correct answer seen eg 7.4 and $22.2 \div 2 = 11.1$ cm</p>	<p>B1M1A0</p>
	<p>Ignore subsequent rounding once correct answer is seen</p>	
	<p>Accept correct units seen with their answer in the working, even if missing from the answer line, provided they are not contradicted.</p>	
	<p>Ignore any measurement of the height for the B mark</p>	

Q	Answer	Mark	Comments	
8(a)	56 – 17 or 39	M1		
	13	A1		
	Additional Guidance			
	M1 may be awarded for correct work with no answer or incorrect answer, even if this is seen in multiple attempts			
	Ignore any values for blue or white cubes			
	eg G B W R 17 13 13 13 With R unambiguously linked with 13 May be seen as a ratio Unless contradicted on the answer line is awarded M1A1			
	17 (+) 13 (+) 13 (+) 13 without 13 linked to red			M1A0
	13 and answer 13 out of 56			M1A1
	13 and answer $\frac{13}{56}$			M1A0
	13 and answer 56			M1A0
	Answer $\frac{13}{56}$			M1A0

Q	Answer	Mark	Comments	
8(b)	$56 + 24$ or 80	M1		
	$0.4 \times$ their 80 or 32	M1dep	oe eg $0.4 \times 56 + 0.4 \times 24$ or $9.6 + 22.4$	
	15	A1		
	Additional Guidance			
	M1 may be awarded for correct work with no answer or incorrect answer, even if this is seen in multiple attempts			
	15 and answer 15 out of 24			M1M1A1
	15 and answer $\frac{15}{24}$ or $\frac{3}{8}$			M1M1A0
	Answer $\frac{15}{24}$			M1M1A0
	80 seen embedded in a fraction			M1
	Answer $\frac{3}{8}$ with no other creditworthy work			M0M0A0
	Condone $80 \times 40\%$			M1M1
	40% of 80 is 2nd M0 unless recovered			
	Build up methods for finding 40% of 80 must be completed to be awarded the M mark eg 80 followed by $10\% = 8$ and $4 \times 8 = 32$ eg $0.1 \times 80 = 8$ and $4 \times 8 = 32$ eg 80 followed by $10\% = 8$ and $4 \times 8 = 32$			M1M1 M1M1 M1M0

Q	Answer	Mark	Comments
9	Alternative method 1		
	$270 \div 3$ or 90 or 270×50 or 13 500 or $270 \times 0.5(0)$ or 135	M1	oe
	$270 \div 3 \times 50$ or $270 \div 3 \times 0.5(0)$	M1dep	oe
	45	A1	
	Alternative method 2		
	Correctly finds units and cost for at least 30 miles	M1	eg 30 miles = 10 units and 10 units cost (£)5
	Correct method for cost of 270 miles	M1dep	
	45	A1	
	Additional Guidance		
	45.00(p)		M1M1A1
	45.0		M1M1A0
	Accept 0.33(...) or 33.(...) % for $\frac{1}{3}$		
	Further work eg $45 \div 2$		M1M1A0
	Embedded answer of 45 but not selected		M1M1A0

Q	Answer	Mark	Comments	
10(a)	$2 \times 8.5(0)$ or $17(.00)$	M1	oe	
	$38 - \text{their } 17$ or 21	M1dep		
	$\text{their } 21 \div 5$ or 4.2	M1dep	oe eg $5 \times 4.2(0)$	
	4.20	A1	correct money notation SC2 5.90 SC1 5.9	
	Additional Guidance			
	Special case is for using 1 metre of linen at $\pounds 8.5(0)$			
	Allow 4.20(p) for the A mark			
	$4.20 \div 5 = 84\text{p}$		M1M1M1 A0	

Q	Answer	Mark	Comments
10(b)	14×0.65 or 9.1(0) or 15×0.65 or 9.75 or $10 \div 0.65$ or 15.3(...) or 15.4 or $(5 - 7 \times 0.65) \times 2$ or 0.9(0)	M1	oe allow in pence
	No and 15 with M1 awarded or No and (£)9.75	A1	oe eg No and she can get 1 more with M1 awarded
	Additional Guidance		
	Yes ticked		max M1A0
	No may be implied if neither box ticked		
	$0.65 \times 14 = 9.1$ she can buy another No ticked		M1A1
	$10 \div 0.65 = 15.38$ No ticked		M1A0
	$0.65 \times 14 = 9.1$ she can buy more No ticked		M1A0
	She can get 15 not 14 No ticked		M0A0
	The left over change would make up another 65p so enough for another button No ticked		M0A0

Q	Answer	Mark	Comments
11(a)	All 4 points plotted correctly with a straight line joining them	B2	$\pm \frac{1}{2}$ square B1 at least two correct points plotted mark intention for straight line
	Additional Guidance		
	Ignore additional or incorrect points for B2 or B1		
	Ignore any line or curve extended outside the range		
	The correct position of the line implies correctly plotted points		

Q	Answer	Mark	Comments
11(b)	Alternative method 1: uses the graph		
	Vertical line from $x = 2.5$ to their straight line	M1	$\pm \frac{1}{2}$ square implied by mark at correct point on graph or on vertical axis
	their 8.5	A1ft	$\pm \frac{1}{2}$ square ft their straight line graph if at least B1 awarded in (a)
	Alternative method 2: substitutes into the equation		
	$3 \times 2.5 + 1$	M1	oe
	8.5	A1	
	Alternative method 3: uses values from the table		
	$\frac{7+10}{2}$	M1	oe eg $\frac{4+7+10+13}{4}$
	8.5	A1	
	Additional Guidance		
	Alternative method 1 – must have a line in part (a)		
	Alternative method 1 A vertical line from the x -axis does not need to be drawn if the reading from the graph is correct within tolerance for their graph		

Q	Answer	Mark	Comments
12	3 5 6 7 9	B3	B2 last digit square and middle digit even with three of the following constraints met: <ul style="list-style-type: none"> • only one square • only one even • no repeats • ascending order or 9 7 6 5 3 B1 last digit square with no other squares or middle digit even with no other evens or 3 5 6 7 9 unordered, not scoring B2
	Additional Guidance		
	Mark the answer line		
	1 3 6 7 9 (two squares is only error)		B2
	3 5 6 7 1 (order is only error)		B2
	3 3 6 7 9 (repeat is only error)		B2
	0 3 6 7 9 (two even numbers)		B2
	3 3 2 3 9 (order wrong and repeats but middle digit is only even and/or last digit is only square)		B1
	3 3 2 3 4 (order wrong and two evens but last digit is only square)		B1
	1 3 4 5 7 (middle digit is only even)		B1
	2 2 5 6 4 (last digit is only square)		B1
	2 3 4 5 6		B0
	1 3 4 8 9		B0
	Must have 5 single digits		

Q	Answer	Mark	Comments
13	Alternative method 1: find total		
	4×10 or 40	M1	oe
	their $40 - 5 - 8 - 9$	M1	oe their 40 must be greater than 22
	18	A1	
	Alternative method 2: trial and improvement		
	One trial evaluated correctly	M1	eg trials 12, $\frac{5+8+9+12}{4} = 8.5$
	The correct trial evaluated correctly	M1dep	
	18	A1	
	Additional Guidance		
Embedded 18 without being selected as answer		M2A0	

Q	Answer	Mark	Comments
14(a)	$d + 4$ or $4 + d$	B1	

Q	Answer	Mark	Comments
14(b)	$3p$ or $3 \times p$ or $p \times 3$	B1	
	Additional Guidance		
	Condone $p3$ as this question is testing inverse operations not expression notation		B1

Q	Answer	Mark	Comments
15	$3n - 1$	B2	oe eg $2 + (3n - 3)$ B1 $3n + c$ where c can be any value
	Additional Guidance		
	Ignore LHS of formula given eg $T_n = 3n - 1$		B2
	Condone $n = 3n - 1$ or n th term = $3n - 1$		B2
	Allow a multiplication sign eg $3 \times n - 1$ or $n \times 3 - 1$		B2
	Allow other variables eg $3x - 1$		B2
	$3n + - 1$		B1
	$3x$		B1
	$n3 \dots$		B1
	$n3 - 1$		B1
	$3nth - 1$		B1
	$3nth$		B0
	$n3 - 1n$		B0

Q	Answer	Mark	Comments
16	segment	B1	region A
	sector	B1	region B

Q	Answer	Mark	Comments
17	$\begin{pmatrix} 5 \\ 8 \end{pmatrix}$	B1	
	Additional Guidance		
	Condone 'fraction line' between the two numbers for B1 but must have the numbers in a column		
	If signs are in front of 5 and 8 they must be +		

Q	Answer	Mark	Comments
18(a)	$\frac{1}{4}$ (red) and $\frac{3}{4}$ (blue) for Bag A	B1	oe fractions, decimals or percentages
	$\frac{3}{5}$ (white) and $\frac{2}{5}$ (green) for both sections for Bag B	B1	oe fractions, decimals or percentages
	Additional Guidance		
	Percentages must have the % symbol		

Q	Answer	Mark	Comments
18(b)	$\frac{1}{4} \times \frac{3}{5}$	M1	oe fractions, decimals or percentages correct or ft their tree diagram with both probabilities > 0 and < 1
	$\frac{3}{20}$ or 0.15 or 15%	A1ft	correct or ft their tree diagram with both probabilities > 0 and < 1
	Additional Guidance		
	Further work after correct answer seen		M1A0

Q	Answer	Mark	Comments
19	Alternative method 1		
	sin chosen or used	M1	
	$31 \times \sin 24$	M1dep	accept $31 \times [0.4, 0.41]$
	[12.6, 12.61]	A1	accept 13 if M2 awarded
	Alternative method 2		
	$\cos (90 - 24)$	M1	
	$31 \times \cos (90 - 24)$	M1dep	accept $31 \times [0.4, 0.41]$
	[12.6, 12.61]	A1	accept 13 if M2 awarded
	Additional Guidance		
	Check diagram for working		
	Allow correct use of sine rule to indicate $\sin 24$		
	Ignore rounding or truncating after the correct answer is seen		
	$\sin 24 \times 31$		M2
	Do not accept answers from full sized or scale drawing		
sin may be indicated by eg circling S in SOH CAH TOA			

Q	Answer	Mark	Comments	
20	88(%) or 0.88	M1	oe eg 1 – 0.12	
	$2\,200\,000 \div 88 (\times 100)$ or $25\,000 (\times 100)$	M1dep	oe eg $2.2 \times 10^6 \div (100 - 12) (\times 100)$ or $2\,200\,000 \times [1.136, 1.14]$ or 2500000	
	2.5×10^6	A1	oe standard form eg $2.500\,000 \times 10^6$ SC1 2.2×10^6 oe standard form seen SC1 any value seen converted to standard form	
	Additional Guidance			
	M1 or SC1 may be awarded for correct work with no answer or incorrect answer, even if this is seen amongst multiple attempts			
	M1 may be seen in a trial or incorrect working eg $3\,000\,000 \times 0.88$ or 88% of 2200000			M1
	$2\,200\,000 \div 88\%$ not recovered			M1M0
$2\,200\,000 \times 1.12 = 2\,464\,000$ $2.464 \times 10^6 = 2.5 \times 10^6$			SC1	

Q	Answer	Mark	Comments
21(a)	The number of blueberries in the tub	B1	

Q	Answer	Mark	Comments						
21(b)	<table border="1"> <tr> <td>2</td> <td>6</td> <td>8</td> </tr> <tr> <td>120</td> <td>40</td> <td>30</td> </tr> </table>	2	6	8	120	40	30	B2	B1 40 or 8 in the correct position or $(k =) 120 \times 2$ or $(k =) 240$ seen
	2	6	8						
	120	40	30						
	Additional Guidance								
$(k =) 240$ or $(k =) 120 \times 2$ may be seen anywhere on the page									
240 may be seen embedded in the formula eg $120 = \frac{240}{2}$			B1						

Q	Answer	Mark	Comments	
22(a)	The same number of 7s as even numbers	M1	any order may be in a list or on the spinner must be at least one 7	
	5, 5, 6, 7, 7, 8	A1	any order may be in a list or on the spinner may be implied	
	$\frac{2}{6}$	A1ft	oe fraction, decimal or percentage ft M1A0 with completed spinner or list of six numbers	
	Additional Guidance			
	Ignore simplification or conversion attempt after correct answer seen			
	Accept 0.33(...) or 33.(...) % for $\frac{2}{6}$			
	A list/spinner with blanks and/or using other numbers may still score M1 eg 5, 5, 7, 10 or 5, 6, 7, 7, 8, 9			M1
	$\frac{2}{6}$ with no incorrect working eg 5, 6, 7, 8 on spinner with 2 blanks answer $\frac{2}{6}$ (M1A1 is implied)			M1A1A1
	5, 5, 6, 6, 7, 7 with answer $\frac{2}{6}$			M1A0A1ft
	5, 5, 5, 5, 6, 7 with answer $\frac{4}{6}$			M1A0A1ft
5, 6, 6, 7, 7, 9 with answer $\frac{2}{6}$			M1A0A0ft	
5, 5, 5, 5, 5, 6 with answer $\frac{5}{6}$			M0A0A0ft	

Q	Answer	Mark	Comments
22(b)	Valid reason	B1	eg sum of probabilities is not 1
	Additional Guidance		
	Ignore irrelevant statements alongside a correct statement eg the sum of the probabilities is not 1 and the probabilities are not percentages	B1	
	Do not ignore incorrect statements alongside a correct statement eg the sum of the probabilities is 0.11 not 1	B0	
	They add up to 1.1	B1	
	They add up to 110%	B1	
	It is 0.1 too much	B1	
	One of the probabilities is 0.1 too much	B1	
	It should be something like 0.1, 0.2, 0.3, 0.4	B1	
	B should be 0.4	B1	
	They don't add up correctly	B0	
	They add up to 0.11	B0	
	It's not a fair spinner	B0	

Q	Answer	Mark	Comments
23(a)	$C(0, 6)$	B1	if answer space is blank, accept $(0, 6)$ written at C on the diagram
	$D(3, 0)$	B1	if answer space is blank, accept $(3, 0)$ written at D on the diagram
	Additional Guidance		
	For each part mark the answer space unless blank		
	Allow x and y written above the coordinates but do not allow eg $(0x, 6y)$		

Q	Answer	Mark	Comments
23(b)	5	B1	
	3	B1	
	Additional Guidance		
	Mark the answer lines only		
	Do not allow eg $(0, 5)$		

Q	Answer	Mark	Comments
24	$\frac{52}{200}$ or $\frac{26}{100}$ or $\frac{13}{50}$	B1	oe fraction, decimal or percentage eg 0.26 or 26%
	Valid reason involving the number of trials	B1	eg it is from using the largest number of flips
	Additional Guidance		
	1st B1 Ignore simplification or conversion attempt after correct answer seen eg $\frac{52}{200} = 0.28$		1st B1
	52 out of 200 or 52 : 200		1st B0
	Probability from incorrect working eg $\frac{10 + 30 + 40 + 50}{50 + 100 + 150 + 200} = \frac{130}{500}$		1st B0
	Ignore irrelevant statements alongside a correct statement eg Using most flips and they could have done more		2nd B1
	Do not ignore incorrect statements alongside a correct statement eg Uses all the flips but they could have used 100 flips		2nd B0
	It uses all the flips		2nd B1
	More spins		2nd B1
	200 is the largest amount of data		2nd B1
	200 is the highest number		2nd B1
	200 is the total number of flips		2nd B0
	200 flips gives 52 heads		2nd B0
	200 is the final result		2nd B0
	That is the highest number in the table		2nd B0
	The highest results are more accurate		2nd B0
	100 flips is easier to work out		2nd B0
	He could use any of the results		2nd B0
	B0B1 is possible eg Answer 27% Reason Use the one from most spins		B0B1

Q	Answer	Mark	Comments
25	A change in distance for an integer time interval or a change in distance for a non-integer time interval with the corresponding time interval	M1	integer time intervals are [88, 92] [70, 74] [52, 56] [34, 38] [16, 20] may be seen on graph
	$\frac{\text{their change in distance}}{\text{corresponding time interval}}$	M1dep	oe eg $\frac{[88, 92]}{5}$ must see their change in distance and the corresponding time interval division by 1 may be implied
	18	A1	SC1 24
	Additional Guidance		
	M1 may be awarded for correct work with no answer or incorrect answer, even if this is seen amongst multiple attempts		
	90 × 5		M1M0
	(1 second) Answer [16, 20] is awarded at least M2		
	18 from incorrect working cannot score A1		
18 followed by further work eg $18 \div 5 = 3.6$			M1M0